



**Figure 3-1  
Vegetation Types  
within the Analysis Area**

- Analysis Area
- Treatment Area
- Streams
- Open Roads
- Aspen\*
- Aspen (Seral/Slow)\*
- Aspen (Seral/Fast)\*
- Clearcuts/Burns (Post 1980 activity and older non-stocked clearcuts, seedling stands)\*
- Clearcuts/Burns (Approximately 1975-1980 activity, sapling stands)\*
- Clearcuts/Burns (Approximately pre-1975 activity, pole stands)\*

- Lodgepole Pine, Limber Pine, Whitebark Pine (0-25% Vegetation Crown Density)
- Lodgepole Pine, Limber Pine, Whitebark Pine (25-40% Vegetation Crown Density)\*
- Lodgepole Pine, Limber Pine, Whitebark Pine (40-100% Vegetation Crown Density)\*
- Engelmann Spruce, Subalpine Fir (0-25% Vegetation Crown Density)
- Engelmann Spruce, Subalpine Fir (25-40% Vegetation Crown Density)\*
- Engelmann Spruce, Subalpine Fir (40-100% Vegetation Crown Density)\*
- Douglas Fir (0-20% Vegetation Crown Density)
- Douglas Fir (35-100% Vegetation Crown Density)\*
- Partial Cuts\*
- Non-Forested
- Riparian Zone



Source: 1988 Vegetation Data used in Forest Service Plan  
Labels followed by (\*) denote those types included in tentatively suited land base.