

Appendix B

Alternative Tables

Appendix B – Alternative Tables

This appendix displays tables of each alternative, broken out on a unit-by-unit basis. The tables include the following information for each salvage unit:

- Unit number
- Which “Fire” the unit occurs within (Toolbox or Silver)
- Unit acres
- Estimated volume
- Logging system
- RHCA acres, by RHCA category
- Activity fuels treatment
- Dominant level of conifer mortality -less than or greater than 50%

Units that occur in one alternative “match” locations with units of that same number in another alternative, though unit size and shape may vary from alternative to alternative.

Activity fuels treatment is determined by predicted fuel loading. For Alternatives C, D, G and H, if the predicted fuel loading were less than 20 tons per acre (tpa), the activity fuels treatment would consist solely of “whole tree yarding”, or “yard tops attached.” In all salvage units, trees 21 inches diameter breast height (dbh) or less would be whole tree yarded. Using this method, logs are skidded with tops and limbs attached. In all salvage units except helicopter, for trees greater than 21 inches dbh, tops would be left attached to the last log and thereby yarded to the landing (unless they break off). In Alternatives C, D, G and H, if the predicted fuel loading were greater than 20 tons per acre, additional fuels treatments would occur following salvage activity, with the method to be determined through post-sale monitoring. Methods could include: underburning, broadcast burning, jackpot burning, machine (low ground pressure) pile and burning, grapple pile and burning, hand pile and burning, air curtain destructors, ladder fuel reduction (thinning - dead trees only), crushing (tomahawk / roller chopper), mastication (“slash buster”), or other methods. Alternative E uses a threshold of predicted fuel loading of 30 tons per acre, instead of 20 tons per acre.

Dominant level of conifer mortality is used as a determinant for snag retention **within** commercial salvage units. Three different criteria would be used for snag retention (see Chapter 2, “**Alternative Descriptions**”, for details). These criteria are based first on mortality level (areas of less than 50% mortality vs. areas of greater than 50% mortality) and then for areas less than 50% mortality, further divided by elevation and ecoclass. Information presented in Appendix B is organized to display only the dominant condition within each unit, based on September 2002 mortality mapping. Eventual implementation (“layout”) would be based on mortality at the time of layout and would recognize that units are not homogenous and therefore snag retention strategies within units would often include mixes of all three prescriptions – See Chapter 3 for an example.

Abbreviations:

RHCA – Riparian Habitat Conservation Area

C1 - Category 1 RHCA (Fish Bearing Streams)

C3 - Category 3 RHCA (Ponds, lakes, reservoirs, and wetlands greater than 1 acre)

C4 - Category 4 RHCA (Seasonally flowing or intermittent streams)

tpa – tons per acre

WTY – Whole tree yard

YTA – Yard tops attached

| Alternative C | | | | | | | | | | | |
|---------------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|--|--|-------|
| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 1 | Toolbox | Ground | 11 | 3 | | 1 | | X | | X | |
| 2 | Toolbox | Ground | 181 | 25 | | 1 | 1 | X | | X | |
| 3 | Toolbox | Ground | 423 | 47 | | | 1 | | X | | X |
| 4 | Toolbox | Ground | 43 | 6 | | | | | X | | X |
| 5 | Toolbox | Ground | 66 | 33 | | 1 | 2 | | X | | X |
| 6 | Toolbox | Ground | 244 | 37 | | | 3 | | X | | X |
| 7 | Toolbox | Ground | 174 | 48 | | | | | X | X | |
| 8 | Toolbox | Ground | 54 | 27 | | | | X | | | X |
| 9 | Toolbox | Ground | 1328 | 200 | | 8 | | | X | | X |
| 10 | Toolbox | Ground | 40 | 5 | | 3 | | X | | X | |
| 11 | Toolbox | Ground | 279 | 35 | | 5 | | X | | | X |
| 12 | Toolbox | HELI | 95 | 11 | | 4 | | | X | | X |
| 13 | Toolbox | Ground | 209 | 23 | | 12 | | | X | | X |
| 14 | Toolbox | Ground | 87 | 22 | | | | | X | X | |
| 15 | Toolbox | Ground | 49 | 10 | | 10 | | | X | | X |
| 16 | Toolbox | Ground | 111 | 14 | | 2 | | | X | | X |
| 17 | Toolbox | Ground | 11 | 3 | | 3 | | | X | | X |
| 18 | Toolbox | Ground | 425 | 106 | | 2 | | | X | X | |
| 19 | Toolbox | Ground | 523 | 79 | | 4 | | | X | X | |
| 20 | Toolbox | Ground | 355 | 89 | | | | X | | X | |
| 21 | Toolbox | Ground | 843 | 108 | | | | | X | X | |
| 22 | Toolbox | HELI | 1339 | 154 | | 5 | | | X | X | |
| 23 | Toolbox | HELI | 592 | 66 | | 5 | | | X | | X |
| 24 | Toolbox | HELI | 785 | 87 | | 1 | | | X | X | |
| 25 | Toolbox | Ground | 62 | 31 | | | | X | | X | |
| 26 | Toolbox | Ground | 787 | 99 | | 5 | | | X | | X |
| 27 | Toolbox | Ground | 288 | 81 | | | | | X | | X |
| 28 | Toolbox | Ground | 237 | 75 | | | | X | | X | |
| 29 | Toolbox | Ground | 197 | 98 | | | 1 | X | | X | |
| 30 | Toolbox | Ground | 100 | 25 | | | 5 | | X | | X |
| 31 | Toolbox | Ground | 393 | 71 | | 1 | | | X | X | |
| 32 | Toolbox | Ground | 27 | 13 | | | | | X | | X |
| 33 | Toolbox | Ground | 1103 | 193 | | 1 | 5 | | X | X | |
| 34 | Toolbox | Ground | 173 | 47 | | 3 | 5 | | X | X | |
| 35 | Toolbox | Ground | 195 | 24 | | 2 | | | X | X | |
| 36 | Toolbox | HELI | 73 | 9 | | 5 | | | X | X | |
| 37 | Toolbox | Ground | 545 | 67 | | | | X | | X | |
| 38 | Toolbox | Ground | 168 | 25 | | | | | X | X | |
| 39 | Toolbox | Ground | 61 | 16 | | | | | X | X | |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 40 | Toolbox | HELI | 199 | 22 | | 0 | 4 | | X | | X |
| 41 | Toolbox | Ground | 211 | 48 | | 1 | | | X | X | |
| 42 | Toolbox | Ground | 315 | 40 | | | | | X | X | |
| 43 | Toolbox | Ground | 57 | 28 | | | | | X | | X |
| 44 | Toolbox | HELI | 168 | 19 | | | | | X | | X |
| 45 | Toolbox | Ground | 411 | 52 | | | | | X | X | |
| 46 | Toolbox | Ground | 377 | 78 | | | | | X | X | |
| 47 | Toolbox | Ground | 56 | 14 | | | | | X | | X |
| 48 | Toolbox | HELI | 87 | 11 | | | 2 | | X | | X |
| 49 | Toolbox | Ground | 361 | 46 | | 8 | 1 | | X | | X |
| 50 | Toolbox | Ground | 46 | 23 | | | | | X | X | |
| 51 | Toolbox | Ground | 33 | 17 | | | | | X | | X |
| 52 | Toolbox | Ground | 264 | 65 | | 9 | 0 | | X | X | |
| 53 | Toolbox | Ground | 55 | 7 | | 1 | | | X | | X |
| 54 | Toolbox | Ground | 142 | 72 | | 7 | | | X | X | |
| 55 | Toolbox | Ground | 24 | 12 | | 2 | | | X | | X |
| 56 | Toolbox | Ground | 13 | 7 | | 2 | | | X | | X |
| 57 | Toolbox | Ground | 68 | 31 | | | | | X | X | |
| 58 | Toolbox | Ground | 415 | 104 | | | | X | | X | |
| 59 | Toolbox | Ground | 76 | 38 | | | | | X | | X |
| 60 | Toolbox | Ground | 28 | 14 | | | | | X | X | |
| 61 | Toolbox | Ground | 118 | 59 | | | | X | | X | |
| 62 | Toolbox | Ground | 217 | 62 | | | | | X | X | |
| 63 | Toolbox | Ground | 120 | 60 | | | | X | | X | |
| 64 | Toolbox | Ground | 244 | 64 | | | | X | | X | |
| 65 | Toolbox | Ground | 41 | 21 | | | | X | | X | |
| 66 | Toolbox | Ground | 292 | 35 | | | | | X | X | |
| 67 | Toolbox | Ground | 19 | 9 | | | | | X | X | |
| 68 | Toolbox | Ground | 486 | 71 | | | | | X | X | |
| 69 | Toolbox | Ground | 282 | 71 | | 9 | | | X | | X |
| 70 | Toolbox | Ground | 130 | 24 | | | | | X | X | |
| 71 | Toolbox | Ground | 49 | 20 | | 0 | | X | | X | |
| 72 | Toolbox | Ground | 23 | 6 | | | | | X | | X |
| 73 | Toolbox | Ground | 33 | 17 | | | | | X | X | |
| 74 | Toolbox | Ground | 15 | 8 | | | | | X | X | |
| 75 | Toolbox | Ground | 131 | 33 | | 1 | | | X | | X |
| 76 | Toolbox | Ground | 141 | 74 | | 1 | 2 | X | | X | |
| 77 | Toolbox | Ground | 40 | 10 | | 3 | 1 | | X | | X |
| 78 | Toolbox | Ground | 56 | 32 | | | | X | | X | |
| 79 | Toolbox | Ground | 11 | 5 | | | | X | | X | |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 80 | Toolbox | Ground | 43 | 11 | | | | | X | | X |
| 81 | Toolbox | Ground | 42 | 19 | | | | X | | X | |
| 82 | Toolbox | Ground | 13 | 7 | | | | | X | X | |
| 83 | Toolbox | Ground | 186 | 47 | | | | | X | X | |
| 84 | Toolbox | Ground | 62 | 32 | | | 3 | | X | | X |
| 85 | Toolbox | Ground | 77 | 38 | | | | | X | | X |
| 86 | Toolbox | Ground | 21 | 11 | | 1 | | X | | X | |
| 87 | Toolbox | Ground | 67 | 34 | | | | X | | X | |
| 88 | Toolbox | Ground | 15 | 8 | | 1 | | X | | X | |
| 89 | Toolbox | Ground | 501 | 76 | | 5 | | | X | X | |
| 90 | Toolbox | Ground | 746 | 126 | | 13 | | | X | | X |
| 91 | Toolbox | Ground | 49 | 13 | | | | | X | | X |
| 92 | Toolbox | Ground | 31 | 8 | | 0 | 2 | | X | | X |
| 93 | Toolbox | Ground | 249 | 108 | | | | | X | | X |
| 94 | Toolbox | Ground | 107 | 14 | | 2 | | | X | X | |
| 95 | Toolbox | Ground | 114 | 14 | | 8 | | | X | X | |
| 96 | Toolbox | Ground | 100 | 12 | | 0 | | | X | X | |
| 97 | Toolbox | Ground | 151 | 76 | | 1 | | | X | X | |
| 98 | Toolbox | Ground | 36 | 18 | | 2 | | X | | X | |
| 99 | Toolbox | Ground | 58 | 29 | | 1 | 3 | X | | X | |
| 100 | Toolbox | Ground | 33 | 17 | | | | X | | X | |
| 101 | Toolbox | Ground | 7 | 2 | | | | X | | X | |
| 102 | Toolbox | Ground | 608 | 107 | | | | X | | X | |
| 103 | Toolbox | Ground | 543 | 71 | | | | | X | | X |
| 104 | Toolbox | Ground | 463 | 58 | | | | | X | | X |
| 105 | Toolbox | HELI | 69 | 9 | | | | | X | X | |
| 106 | Toolbox | Ground | 388 | 49 | | 1 | 1 | | X | | X |
| 107 | Toolbox | Ground | 15 | 2 | | | | | X | | X |
| 108 | Toolbox | Ground | 15 | 8 | | | | X | | X | |
| 109 | Toolbox | Ground | 514 | 73 | | | | | X | X | |
| 110 | Toolbox | HELI | 116 | 15 | | | | | X | X | |
| 111 | Toolbox | Ground | 329 | 64 | | | | | X | X | |
| 112 | Toolbox | HELI | 55 | 7 | | | | X | | X | |
| 113 | Toolbox | Ground | 49 | 18 | | 2 | | X | | X | |
| 114 | Toolbox | Ground | 59 | 29 | | | | | X | X | |
| 115 | Toolbox | Ground | 215 | 40 | | | | | X | X | |
| 116 | Toolbox | Ground | 114 | 42 | | 5 | | | X | X | |
| 117 | Toolbox | Ground | 238 | 28 | | 2 | | | X | X | |
| 118 | Toolbox | Ground | 417 | 55 | | 2 | | | X | | X |
| 119 | Toolbox | Ground | 14 | 7 | | | | | X | X | |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 120 | Toolbox | Ground | 250 | 46 | | 6 | | X | | X | |
| 121 | Toolbox | Ground | 14 | 7 | | | | X | X | | |
| 122 | Toolbox | Ground | 6 | 3 | | | | X | X | | |
| 123 | Toolbox | Ground | 149 | 20 | | 5 | | X | | X | |
| 124 | Toolbox | Ground | 77 | 25 | | 0 | | X | X | | |
| 125 | Toolbox | Ground | 69 | 10 | | | | X | X | | |
| 126 | Toolbox | Ground | 313 | 57 | | 4 | | X | | X | |
| 127 | Toolbox | Ground | 337 | 42 | | | X | | X | | |
| 128 | Toolbox | Ground | 118 | 54 | | | X | | X | | |
| 129 | Toolbox | Ground | 22 | 11 | | 0 | 2 | X | X | | |
| 130 | Toolbox | Ground | 328 | 89 | | 1 | 7 | X | | X | |
| 131 | Toolbox | Ground | 2267 | 369 | | | 33 | X | X | | |
| 132 | Toolbox | Ground | 46 | 23 | | | | X | X | | |
| 133 | Toolbox | Ground | 22 | 9 | | | | X | X | | |
| 134 | Toolbox | Ground | 1113 | 126 | | 2 | | X | X | | |
| 135 | Toolbox | Ground | 72 | 26 | | 6 | | X | | X | |
| 136 | Toolbox | Ground | 87 | 32 | | | 3 | X | X | | |
| 137 | Toolbox | Ground | 135 | 36 | | | 5 | X | X | | |
| 138 | Toolbox | Ground | 1012 | 197 | | | | X | X | | |
| 139 | Toolbox | Ground | 78 | 19 | | | | X | X | | |
| 140 | Toolbox | Ground | 53 | 26 | | | X | | X | | |
| 141 | Toolbox | Ground | 195 | 27 | | | X | | X | | |
| 142 | Toolbox | Ground | 462 | 63 | | | | X | X | | |
| 143 | Toolbox | Ground | 46 | 23 | | | 2 | X | | X | |
| 144 | Toolbox | Ground | 285 | 62 | | | | X | | X | |
| 145 | Toolbox | Ground | 313 | 148 | | | | X | | X | |
| 146 | Toolbox | Ground | 24 | 6 | | 2 | | X | | X | |
| 147 | Toolbox | Ground | 110 | 25 | | | X | | X | | |
| 148 | Toolbox | Ground | 118 | 15 | | | X | | X | | |
| 149 | Toolbox | Ground | 1054 | 137 | | | X | | X | | |
| 150 | Toolbox | Ground | 83 | 38 | | | X | | X | | |
| 151 | Toolbox | Ground | 951 | 112 | | | | X | X | | |
| 152 | Toolbox | Ground | 88 | 25 | | | | X | X | | |
| 153 | Toolbox | Ground | 101 | 13 | | | X | | X | | |
| 154 | Toolbox | Ground | 247 | 31 | | | X | | | X | |
| 155 | Toolbox | Ground | 40 | 9 | | | X | | X | | |
| 156 | Toolbox | Ground | 394 | 46 | | 2 | | X | X | | |
| 157 | Toolbox | Ground | 212 | 27 | | | X | | X | | |
| 158 | Toolbox | Ground | 100 | 12 | | | X | | X | | |
| 159 | Toolbox | Ground | 91 | 45 | | | X | | X | | |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 160 | Toolbox | Ground | 63 | 31 | | | | X | | X | |
| 161 | Toolbox | Ground | 323 | 82 | | | | | X | X | |
| 162 | Toolbox | Ground | 115 | 35 | | | | X | | X | |
| 163 | Toolbox | Ground | 117 | 29 | | | | X | | X | |
| 164 | Toolbox | Ground | 111 | 15 | | | | | X | X | |
| 165 | Toolbox | Ground | 47 | 10 | | | | X | | X | |
| 166 | Toolbox | Ground | 227 | 85 | | | | X | | X | |
| 167 | Toolbox | Ground | 106 | 22 | | 4 | | X | | X | |
| 168 | Toolbox | Ground | 164 | 38 | | | | X | | X | |
| 169 | Toolbox | Ground | 727 | 121 | | 4 | | | X | X | |
| 170 | Toolbox | Ground | 43 | 21 | | | | X | | X | |
| 171 | Toolbox | Ground | 433 | 48 | | | | X | | X | |
| 172 | Toolbox | Ground | 58 | 29 | | | | X | | X | |
| 173 | Toolbox | Ground | 120 | 30 | | | | X | | X | |
| 174 | Toolbox | Ground | 311 | 35 | | | | X | | X | |
| 175 | Toolbox | Ground | 99 | 12 | | | | X | | X | |
| 176 | Toolbox | Ground | 95 | 48 | | | | | X | | X |
| 177 | Silver | HELI | 232 | 29 | 8 | 2 | | | X | | X |
| 178 | Silver | Ground | 11 | 3 | | | | X | | | X |
| 179 | Silver | Ground | 50 | 12 | 4 | 9 | | X | | X | |
| 180 | Silver | Ground | 15 | 5 | | 2 | | X | | X | |
| 181 | Silver | Ground | 59 | 30 | | 2 | | X | | X | |
| 182 | Silver | Ground | 322 | 157 | | 26 | | X | | X | |
| 183 | Silver | Ground | 56 | 26 | | | | X | | | X |
| 184 | Silver | Ground | 102 | 43 | | 2 | | | X | X | |
| 185 | Silver | Ground | 116 | 39 | | 3 | | X | | X | |
| 186 | Silver | Ground | 174 | 52 | | | | X | | X | |
| 187 | Silver | Ground | 141 | 34 | | 4 | | | X | | X |
| 188 | Silver | Ground | 16 | 8 | | 1 | | | X | X | |
| 189 | Silver | Ground | 40 | 10 | | | | | X | | X |
| 190 | Silver | Ground | 315 | 67 | | 3 | | | X | | X |
| 191 | Silver | Ground | 134 | 34 | | 9 | | | X | X | |
| 192 | Silver | Ground | 36 | 18 | | | | | X | X | |
| 193 | Silver | Ground | 394 | 59 | | 5 | | | X | X | |
| 194 | Silver | Ground | 10 | 5 | | 1 | | | X | X | |
| 195 | Silver | Ground | 81 | 42 | | 3 | 0 | X | | X | |
| 196 | Silver | Ground | 61 | 30 | | | | X | | X | |
| 197 | Silver | Ground | 54 | 14 | | | | | X | X | |
| 198 | Silver | Ground | 243 | 55 | | 2 | | | X | | X |
| 199 | Silver | Ground | 115 | 30 | | | | | X | | X |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 200 | Silver | Ground | 235 | 44 | 1 | | | X | X | | |
| 201 | Silver | Ground | 22 | 3 | | | | X | X | | |
| 202 | Silver | Ground | 38 | 13 | | | X | | X | | |
| 203 | Silver | Ground | 78 | 10 | | | 1 | X | | X | |
| 204 | Silver | Ground | 80 | 40 | | 0 | | X | | X | |
| 205 | Silver | Ground | 16 | 8 | | | | X | | X | |
| 206 | Silver | Ground | 27 | 4 | | | | X | | X | |
| 207 | Silver | Ground | 22 | 8 | | | | X | | X | |
| 208 | Silver | Ground | 40 | 11 | | | | X | | X | |
| 209 | Silver | Ground | 223 | 108 | | | | X | | X | |
| 210 | Silver | Ground | 116 | 32 | | 3 | | X | | X | |
| 211 | Silver | Ground | 17 | 8 | | | | X | | X | |
| 212 | Silver | Ground | 9 | 5 | | 0 | | X | | X | |
| 213 | Silver | Ground | 76 | 21 | | | | X | | X | |
| 214 | Silver | Ground | 221 | 37 | | 2 | 1 | | X | | X |
| 215 | Silver | Ground | 105 | 15 | | | | X | | X | |
| 216 | Silver | Ground | 340 | 53 | | 2 | | | X | | X |
| 217 | Silver | Ground | 442 | 75 | 1 | 12 | | | X | | X |
| 218 | Silver | Ground | 55 | 10 | | 1 | | | X | | X |
| 219 | Silver | Ground | 34 | 4 | | 1 | | X | | | X |
| 220 | Silver | Ground | 89 | 42 | 3 | 1 | | X | | X | |
| 221 | Silver | Ground | 328 | 45 | | 0 | | X | | X | |
| 222 | Silver | Ground | 130 | 53 | | 3 | | X | | X | |
| 223 | Silver | Ground | 53 | 27 | | | | X | | X | |
| 224 | Silver | Ground | 187 | 30 | | 4 | | | X | | X |
| 225 | Silver | Ground | 418 | 86 | | 30 | | | X | | X |
| 226 | Silver | Ground | 163 | 38 | | | | | X | | X |
| 227 | Silver | Ground | 62 | 33 | | 5 | | X | | X | |
| 228 | Silver | Ground | 28 | 7 | | 1 | | | X | | X |
| 229 | Silver | Ground | 47 | 23 | | 1 | | | X | | X |
| 230 | Silver | Ground | 252 | 63 | | 6 | | | X | | X |
| 231 | Silver | Ground | 44 | 13 | | 1 | | | X | | X |
| 232 | Silver | Ground | 19 | 2 | | 1 | | X | | X | |
| 233 | Silver | Ground | 228 | 97 | | 8 | | X | | X | |
| 234 | Silver | Ground | 358 | 44 | | 5 | | | X | | X |
| 235 | Silver | Ground | 712 | 122 | | 4 | | | X | | X |
| 236 | Silver | Ground | 130 | 15 | 4 | 5 | 0 | | X | | X |
| 237 | Silver | Ground | 49 | 7 | | | | | X | | X |
| 238 | Silver | Ground | 92 | 16 | | | | | X | | X |
| 239 | Silver | Ground | 1011 | 146 | | | 2 | | X | | X |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|--|-------|----------------------|----|----|---|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 240 | Silver | Ground | 967 | 126 | | | | | X | | X |
| 241 | Silver | Ground | 1077 | 214 | 0 | | | X | | X | |
| 242 | Silver | HELI | 141 | 17 | 6 | | | | X | | X |
| 243 | Silver | HELI | 102 | 12 | 2 | | | | X | X | |
| 244 | Silver | Ground | 405 | 54 | | | | X | | X | |
| 245 | Silver | Ground | 996 | 137 | 4 | | | | X | X | |
| 246 | Silver | Ground | 23 | 6 | | | | | X | X | |
| 247 | Silver | Ground | 13 | 6 | | | | X | | X | |
| 248 | Silver | Ground | 6 | 1 | | | | | X | X | |
| 249 | Silver | Ground | 44 | 5 | | | | | X | | X |
| 250 | Silver | Ground | 21 | 5 | | | | | X | X | |
| 251 | Silver | Ground | 315 | 57 | 0 | | | | X | X | |
| 252 | Silver | HELI | 19 | 2 | 2 | | | | X | X | |
| 253 | Silver | Ground | 29 | 14 | | | | | X | | X |
| 254 | Silver | Ground | 28 | 14 | | | | | X | | X |
| 255 | Silver | Ground | 293 | 62 | | | | | X | | X |
| 256 | Silver | Ground | 390 | 85 | | | | | X | X | |
| 257 | Silver | Ground | 543 | 80 | | | | | X | X | |
| 258 | Silver | Ground | 788 | 142 | | | 4 | | X | X | |
| 259 | Silver | Ground | 23 | 6 | | | | X | | X | |
| 260 | Silver | Ground | 19 | 10 | | | | | X | X | |
| 261 | Silver | Ground | 552 | 130 | 1 | | | | X | X | |
| 262 | Silver | Ground | 49 | 13 | | | | X | | X | |
| 263 | Silver | Ground | 210 | 79 | | 3 | | | X | X | |
| 264 | Silver | Ground | 143 | 27 | | | | | X | X | |
| 265 | Silver | Ground | 77 | 35 | | | | | X | X | |
| 266 | Silver | Ground | 162 | 23 | | | | | X | | X |
| 267 | Silver | Ground | 5 | 2 | | | | X | | | X |
| 268 | Silver | Ground | 123 | 58 | | | | X | | X | |
| 269 | Silver | Ground | 203 | 25 | | 1 | | | X | | X |
| 270 | Silver | Ground | 141 | 68 | | 0 | | | X | | X |
| 271 | Silver | Ground | 583 | 117 | | 2 | | | X | | X |
| 272 | Silver | Ground | 13 | 6 | | 3 | | X | | X | |
| 273 | Silver | Ground | 1396 | 254 | | 6 | 13 | | X | X | |
| 274 | Silver | Ground | 312 | 67 | 0 | | 5 | | X | | X |
| 275 | Silver | Ground | 167 | 28 | | | 3 | X | | X | |
| 276 | Silver | Ground | 37 | 10 | | | | | X | | X |
| 277 | Silver | Ground | 1165 | 185 | | | | | X | X | |
| 278 | Silver | Ground | 1038 | 237 | 1 | | 0 | | X | X | |
| 279 | Silver | Ground | 17 | 4 | | | | | X | | X |

Alternative C (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|---------------------|--------------------------------|-------------------|---|-------|----------------------|-----|-----|--|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 280 | Silver | Ground | 434 | 73 | | | | X | | | X |
| 281 | Silver | Ground | 321 | 41 | | | | | X | | X |
| 282 | Silver | Ground | 223 | 54 | | 0 | | | X | X | |
| 283 | Silver | Ground | 23 | 11 | | | | X | | X | |
| 284 | Silver | Ground | 41 | 11 | | | | X | | X | |
| 285 | Silver | Ground | 1958 | 308 | | 1 | | | X | X | |
| 286 | Silver | Ground | 69 | 35 | | | | | X | X | |
| 287 | Silver | Ground | 1088 | 152 | | | 7 | | X | | X |
| 288 | Silver | Ground | 905 | 199 | | | 17 | X | | X | |
| 289 | Silver | Ground | 917 | 121 | | | | | X | | X |
| 290 | Silver | Ground | 346 | 44 | | | | | X | | X |
| 291 | Silver | Ground | 179 | 27 | | | 2 | | X | | X |
| 292 | Silver | Ground | 33 | 5 | | | 1 | | X | X | |
| 293 | Silver | Ground | 71 | 9 | | 4 | | | X | | X |
| 294 | Silver | Ground | 14 | 2 | | 1 | | X | | X | |
| 295 | Silver | Ground | 168 | 84 | | | | X | | X | |
| 296 | Silver | Ground | 668 | 121 | | 12 | | X | | | X |
| 297 | Silver | Ground | 47 | 22 | | | | X | | X | |
| 298 | Silver | Ground | 413 | 86 | | | | | X | | X |
| 299 | Silver | Ground | 78 | 27 | | | | X | | X | |
| 300 | Silver | Ground | 312 | 39 | | | | | X | | X |
| 301 | Silver | Ground | 492 | 64 | | 7 | | | X | | X |
| 302 | Silver | Ground | 48 | 18 | | 5 | | | X | X | |
| 303 | Silver | Ground | 795 | 174 | | 11 | | | X | X | |
| 304 | Silver | Ground | 84 | 42 | | | | | X | X | |
| 305 | Silver | Ground | 27 | 7 | | | | | X | | X |
| 306 | Silver | Ground | 128 | 61 | | | | | X | | X |
| 307 | Silver | Ground | 209 | 29 | | 4 | | X | | X | |
| 308 | Silver | Ground | 73 | 19 | | 0 | | | X | | X |
| 309 | Silver | Ground | 324 | 89 | | 5 | | X | | X | |
| 310 | Silver | Ground | 94 | 30 | | 3 | 0 | | X | | X |
| 311 | Silver | Ground | 561 | 64 | | 1 | | | X | | X |
| 312 | Silver | Ground | 84 | 10 | | 2 | | | X | | X |
| Alt. C Grand Totals | | | 73327 | 14441 | 37 | 448 | 147 | | | | |

| Alternative D | | | | | | | | | | | |
|---------------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|--|-------|
| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 2 | Toolbox | Ground | 26 | 6 | | | | X | | X | |
| 4 | Toolbox | Ground | 43 | 6 | | | | | X | | X |
| 6 | Toolbox | Ground | 222 | 35 | | | | | X | | X |
| 8 | Toolbox | Ground | 3 | 1 | | | | X | | | X |
| 9 | Toolbox | Ground | 221 | 30 | | | | | X | X | |
| 10 | Toolbox | Ground | 10 | 1 | | 1 | | | X | X | |
| 12 | Toolbox | HELI | 62 | 7 | | | | | X | | X |
| 13 | Toolbox | Ground | 199 | 22 | | 10 | | | X | | X |
| 15 | Toolbox | Ground | 49 | 10 | | 10 | | | X | | X |
| 17 | Toolbox | Ground | 11 | 3 | | 3 | | | X | | X |
| 19 | Toolbox | Ground | 499 | 75 | | | | | X | X | |
| 21 | Toolbox | Ground | 843 | 108 | | | | | X | | X |
| 22 | Toolbox | HELI | 1296 | 149 | | | | | X | X | |
| 23 | Toolbox | HELI | 547 | 61 | | | | | X | | X |
| 24 | Toolbox | HELI | 774 | 86 | | | | X | | X | |
| 26 | Toolbox | Ground | 26 | 3 | | | | | X | | X |
| 27 | Toolbox | Ground | 54 | 16 | | | | | X | | X |
| 28 | Toolbox | Ground | 64 | 26 | | | | X | | X | |
| 29 | Toolbox | Ground | 29 | 14 | | | 0 | X | | X | |
| 30 | Toolbox | Ground | 90 | 23 | | | 3 | | X | | X |
| 31 | Toolbox | Ground | 390 | 70 | | | | | X | X | |
| 32 | Toolbox | Ground | 27 | 13 | | | | | X | | X |
| 33 | Toolbox | Ground | 1082 | 187 | | 0 | | | X | X | |
| 34 | Toolbox | Ground | 142 | 38 | | | | | X | X | |
| 35 | Toolbox | Ground | 176 | 22 | | | | | X | X | |
| 38 | Toolbox | Ground | 168 | 25 | | | | | X | X | |
| 39 | Toolbox | Ground | 61 | 16 | | | | | X | X | |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 40 | Toolbox | HELI | 130 | 14 | | | | X | | X | |
| 41 | Toolbox | Ground | 209 | 47 | | | | X | X | | |
| 43 | Toolbox | Ground | 57 | 28 | | | | X | | X | |
| 44 | Toolbox | HELI | 168 | 19 | | | | X | X | | |
| 45 | Toolbox | Ground | 411 | 52 | | | | X | | X | |
| 46 | Toolbox | Ground | 57 | 16 | | | | X | X | | |
| 47 | Toolbox | Ground | 56 | 14 | | | | X | | X | |
| 49 | Toolbox | Ground | 150 | 19 | | 8 | 1 | X | | X | |
| 50 | Toolbox | Ground | 46 | 23 | | | | X | X | | |
| 51 | Toolbox | Ground | 33 | 17 | | | | X | | X | |
| 52 | Toolbox | Ground | 249 | 63 | | 7 | | X | X | | |
| 54 | Toolbox | Ground | 140 | 71 | | 6 | | X | X | | |
| 55 | Toolbox | Ground | 21 | 11 | | | | X | | X | |
| 56 | Toolbox | Ground | 9 | 5 | | | | X | | X | |
| 57 | Toolbox | Ground | 68 | 31 | | | | X | X | | |
| 58 | Toolbox | Ground | 69 | 17 | | | | X | X | | |
| 59 | Toolbox | Ground | 76 | 38 | | | | X | | X | |
| 60 | Toolbox | Ground | 28 | 14 | | | | X | X | | |
| 66 | Toolbox | Ground | 7 | 1 | | | | X | X | | |
| 67 | Toolbox | Ground | 19 | 9 | | | | X | X | | |
| 68 | Toolbox | Ground | 164 | 29 | | | | X | X | | |
| 69 | Toolbox | Ground | 274 | 69 | | 7 | | X | | X | |
| 70 | Toolbox | Ground | 30 | 8 | | | | X | X | | |
| 76 | Toolbox | Ground | 12 | 6 | | | | X | X | | |
| 77 | Toolbox | Ground | 37 | 9 | | 3 | 0 | X | | X | |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 81 | Toolbox | Ground | 4 | 2 | | | | X | | X | |
| 82 | Toolbox | Ground | 13 | 7 | | | | | X | X | |
| 83 | Toolbox | Ground | 186 | 47 | | | | | X | | X |
| 84 | Toolbox | Ground | 57 | 30 | | | 0 | | X | | X |
| 85 | Toolbox | Ground | 77 | 38 | | | | | X | | X |
| 88 | Toolbox | Ground | 3 | 2 | | 1 | | X | | X | |
| 89 | Toolbox | Ground | 23 | 3 | | 1 | | X | | X | |
| 90 | Toolbox | Ground | 742 | 125 | | 12 | | | X | | X |
| 92 | Toolbox | Ground | 12 | 3 | | | | X | | | X |
| 93 | Toolbox | Ground | 249 | 108 | | | | | X | | X |
| 94 | Toolbox | Ground | 87 | 12 | | | | | X | X | |
| 102 | Toolbox | Ground | 166 | 25 | | | | X | | X | |
| 103 | Toolbox | Ground | 543 | 71 | | | | | X | | X |
| 104 | Toolbox | Ground | 463 | 59 | | | | | X | | X |
| 105 | Toolbox | HELI | 70 | 9 | | | | | X | X | |
| 106 | Toolbox | Ground | 56 | 7 | | | | | X | | X |
| 109 | Toolbox | Ground | 513 | 73 | | | | | X | X | |
| 110 | Toolbox | HELI | 116 | 15 | | | | | X | X | |
| 111 | Toolbox | Ground | 329 | 64 | | | | | X | X | |
| 113 | Toolbox | Ground | 17 | 8 | | | | X | | X | |
| 114 | Toolbox | Ground | 59 | 29 | | | | | X | X | |
| 117 | Toolbox | Ground | 218 | 26 | | | | | X | X | |
| 118 | Toolbox | Ground | 400 | 53 | | | 0 | | X | X | |
| 119 | Toolbox | Ground | 14 | 7 | | | | X | | X | |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 120 | Toolbox | Ground | 225 | 41 | | | | | X | | X |
| 121 | Toolbox | Ground | 14 | 7 | | | | X | | X | |
| 122 | Toolbox | Ground | 6 | 3 | | | | X | | X | |
| 123 | Toolbox | Ground | 149 | 20 | | 5 | | | X | | X |
| 124 | Toolbox | Ground | 77 | 25 | | 0 | | | X | X | |
| 125 | Toolbox | Ground | 68 | 10 | | | | | X | | X |
| 126 | Toolbox | Ground | 287 | 54 | | 0 | | | X | | X |
| 129 | Toolbox | Ground | 17 | 9 | | | | | X | X | |
| 131 | Toolbox | Ground | 150 | 22 | | | 1 | | X | X | |
| 132 | Toolbox | Ground | 46 | 23 | | | | | X | X | |
| 133 | Toolbox | Ground | 22 | 9 | | | | | X | X | |
| 134 | Toolbox | Ground | 74 | 9 | | | | | X | X | |
| 135 | Toolbox | Ground | 50 | 20 | | | | | X | X | |
| 136 | Toolbox | Ground | 82 | 29 | | | | | X | | X |
| 137 | Toolbox | Ground | 116 | 32 | | | | | X | X | |
| 139 | Toolbox | Ground | 78 | 19 | | | | X | | X | |
| 141 | Toolbox | Ground | 20 | 3 | | | | X | | X | |
| 142 | Toolbox | Ground | 462 | 63 | | | | | X | X | |
| 145 | Toolbox | Ground | 313 | 148 | | | | | X | | X |
| 148 | Toolbox | Ground | 32 | 4 | | | | X | | X | |
| 149 | Toolbox | Ground | 91 | 11 | | | | X | | X | |
| 150 | Toolbox | Ground | 9 | 4 | | | | X | | X | |
| 151 | Toolbox | Ground | 951 | 112 | | | | | X | X | |
| 152 | Toolbox | Ground | 88 | 25 | | | | | X | X | |
| 155 | Toolbox | Ground | 11 | 4 | | | | X | | X | |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 161 | Toolbox | Ground | 34 | 12 | | | | X | | X | |
| 162 | Toolbox | Ground | 20 | 5 | | | | X | | X | |
| 163 | Toolbox | Ground | 18 | 4 | | | | X | | X | |
| 164 | Toolbox | Ground | 111 | 15 | | | | | X | X | |
| 166 | Toolbox | Ground | 44 | 12 | | | | X | | X | |
| 168 | Toolbox | Ground | 22 | 8 | | | | X | | X | |
| 169 | Toolbox | Ground | 707 | 116 | | | | | X | X | |
| 175 | Toolbox | Ground | 50 | 7 | | | | X | | X | |
| 179 | Silver | Ground | 50 | 12 | 4 | 9 | | X | | X | |
| 181 | Silver | Ground | 3 | 2 | | | | X | | X | |
| 182 | Silver | Ground | 70 | 34 | | 20 | | | X | X | |
| 187 | Silver | Ground | 119 | 29 | | | | | X | | X |
| 188 | Silver | Ground | 13 | 7 | | | | | X | | X |
| 190 | Silver | Ground | 25 | 6 | | | | X | | | X |
| 191 | Silver | Ground | 22 | 5 | | 3 | | X | | X | |
| 192 | Silver | Ground | 36 | 18 | | | | | X | X | |
| 193 | Silver | Ground | 376 | 56 | | 3 | | | X | X | |
| 194 | Silver | Ground | 8 | 4 | | | | | X | X | |
| 197 | Silver | Ground | 54 | 14 | | | | | X | X | |
| 199 | Silver | Ground | 115 | 30 | | | | | X | | X |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 200 | Silver | Ground | 228 | 43 | | | | | X | X | |
| 201 | Silver | Ground | 22 | 3 | | | | | X | | X |
| 202 | Silver | Ground | 12 | 3 | | | | | X | X | |
| 203 | Silver | Ground | 19 | 2 | | | | | X | | X |
| 206 | Silver | Ground | 27 | 4 | | | | | X | X | |
| 208 | Silver | Ground | 26 | 7 | | | | | X | X | |
| 209 | Silver | Ground | 26 | 13 | | | | X | | X | |
| 210 | Silver | Ground | 5 | 2 | | | | X | | X | |
| 212 | Silver | Ground | 9 | 5 | | | | X | | X | |
| 213 | Silver | Ground | 76 | 21 | | | | X | | X | |
| 214 | Silver | Ground | 199 | 34 | | | | | X | | X |
| 215 | Silver | Ground | 105 | 15 | | | | X | | | X |
| 216 | Silver | Ground | 328 | 51 | | | | | X | | X |
| 217 | Silver | Ground | 413 | 70 | 1 | 7 | | | X | | X |
| 220 | Silver | Ground | 12 | 6 | 3 | 0 | | X | | X | |
| 225 | Silver | Ground | 205 | 33 | | 28 | | | X | | X |
| 227 | Silver | Ground | 3 | 3 | | 3 | | X | | X | |
| 228 | Silver | Ground | 25 | 6 | | | | | X | | X |
| 229 | Silver | Ground | 45 | 22 | | | | | X | | X |
| 230 | Silver | Ground | 251 | 63 | | 6 | | | X | X | |
| 231 | Silver | Ground | 40 | 11 | | | | | X | | X |
| 234 | Silver | Ground | 320 | 39 | | | | | X | | X |
| 235 | Silver | Ground | 685 | 118 | | | | | X | | X |
| 236 | Silver | Ground | 122 | 14 | 4 | 5 | 0 | | X | | X |
| 237 | Silver | Ground | 49 | 7 | | | | | X | | X |
| 238 | Silver | Ground | 54 | 11 | | | | | X | | X |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 244 | Silver | Ground | 11 | 3 | | | | X | | X | |
| 245 | Silver | Ground | 991 | 136 | 3 | | | | X | X | |
| 246 | Silver | Ground | 23 | 6 | | | | | X | X | |
| 247 | Silver | Ground | 7 | 3 | | | | X | | X | |
| 248 | Silver | Ground | 6 | 1 | | | | | X | X | |
| 249 | Silver | Ground | 44 | 5 | | | | | X | | X |
| 250 | Silver | Ground | 21 | 5 | | | | | X | X | |
| 253 | Silver | Ground | 29 | 14 | | | | | X | | X |
| 254 | Silver | Ground | 28 | 14 | | | | | X | | X |
| 255 | Silver | Ground | 293 | 62 | | | | | X | | X |
| 256 | Silver | Ground | 390 | 85 | | | | | X | X | |
| 257 | Silver | Ground | 543 | 80 | | | | | X | X | |
| 258 | Silver | Ground | 754 | 138 | | | | | X | X | |
| 259 | Silver | Ground | 8 | 2 | | | | X | | X | |
| 260 | Silver | Ground | 19 | 10 | | | | | X | | X |
| 261 | Silver | Ground | 552 | 130 | 1 | | | | X | X | |
| 263 | Silver | Ground | 194 | 76 | | | | | X | X | |
| 264 | Silver | Ground | 143 | 27 | | | | | X | | X |
| 265 | Silver | Ground | 77 | 35 | | | | | X | X | |
| 266 | Silver | Ground | 162 | 23 | | | | | X | | X |
| 269 | Silver | Ground | 190 | 23 | | | | | X | | X |
| 270 | Silver | Ground | 141 | 68 | | | | | X | | X |
| 271 | Silver | Ground | 566 | 115 | | | | | X | X | |
| 273 | Silver | Ground | 1315 | 238 | | | 4 | | X | X | |
| 274 | Silver | Ground | 53 | 8 | | | 2 | X | | | X |
| 275 | Silver | Ground | 18 | 5 | | | 2 | X | | X | |
| 277 | Silver | Ground | 45 | 11 | | | | | X | | X |
| 278 | Silver | Ground | 1035 | 236 | | | 0 | | X | | X |
| 279 | Silver | Ground | 17 | 4 | | | | | X | | X |

Alternative D (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within unit snag retention strategy) | |
|--------------------|--------------------------------|-------------------|---|-------|----------------------|------|-----|--|--|--|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 280 | Silver | Ground | 74 | 9 | | | | | X | | X |
| 281 | Silver | Ground | 321 | 41 | | | | X | | X | |
| 282 | Silver | Ground | 223 | 54 | | | | | X | X | |
| 285 | Silver | Ground | 239 | 38 | | | | X | | X | |
| 286 | Silver | Ground | 69 | 35 | | | | X | | X | |
| 287 | Silver | Ground | 1056 | 145 | | | | | X | | X |
| 289 | Silver | Ground | 46 | 9 | | | | | X | | X |
| 291 | Silver | Ground | 173 | 26 | | | 1 | | X | | X |
| 292 | Silver | Ground | 25 | 4 | | | | X | | X | |
| 293 | Silver | Ground | 37 | 5 | | | | | X | | X |
| 296 | Silver | Ground | 71 | 11 | | 10 | | X | | | X |
| 298 | Silver | Ground | 413 | 86 | | | | | X | | X |
| 299 | Silver | Ground | 32 | 7 | | | | X | | X | |
| 300 | Silver | Ground | 312 | 39 | | | | X | | | X |
| 301 | Silver | Ground | 69 | 11 | | 4 | | X | | | X |
| 302 | Silver | Ground | 42 | 15 | | 2 | | X | | X | |
| 303 | Silver | Ground | 29 | 5 | | 5 | | X | | X | |
| 305 | Silver | Ground | 27 | 7 | | | | X | | X | |
| 308 | Silver | Ground | 25 | 7 | | | | X | | | X |
| 309 | Silver | Ground | 13 | 7 | | 4 | | | X | X | |
| 310 | Silver | Ground | 83 | 26 | | 3 | | X | | | X |
| Alt. D Grand Total | | | 33741 | 6367 | *15 | *186 | *15 | | | | |

* Note: all RHCA within
Road hazard units

| Alternative E | | | | | | | | | | | |
|---------------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | >= 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 1 | Toolbox | Ground | 11 | 3 | | 1 | | X | | X | |
| 2 | Toolbox | Ground | 181 | 25 | | 1 | 1 | X | | X | |
| 3 | Toolbox | Ground | 423 | 47 | | | 1 | | X | X | |
| 4 | Toolbox | Ground | 44 | 6 | | | | | X | | X |
| 6 | Toolbox | Ground | 243 | 37 | | | 3 | | X | | X |
| 7 | Toolbox | Ground | 173 | 48 | | | | | X | X | |
| 8 | Toolbox | Ground | 4 | 2 | | | | X | | | X |
| 9 | Toolbox | Ground | 1327 | 200 | | 8 | | | X | | X |
| 10 | Toolbox | Ground | 40 | 5 | | 3 | | X | | X | |
| 11 | Toolbox | Ground | 279 | 35 | | 5 | | X | | | X |
| 13 | Toolbox | Ground | 209 | 23 | | 12 | | | X | | X |
| 14 | Toolbox | Ground | 87 | 22 | | | | X | | X | |
| 15 | Toolbox | Ground | 49 | 10 | | 10 | | X | | | X |
| 16 | Toolbox | Ground | 110 | 14 | | 2 | | X | | X | |
| 17 | Toolbox | Ground | 11 | 3 | | 3 | | X | | | X |
| 18 | Toolbox | Ground | 425 | 106 | | 2 | | X | | X | |
| 19 | Toolbox | Ground | 523 | 79 | | 4 | | | X | X | |
| 20 | Toolbox | Ground | 355 | 89 | | | | X | | X | |
| 21 | Toolbox | Ground | 843 | 108 | | | | | X | | X |
| 22 | Toolbox | HELI | 1339 | 154 | | 5 | | | X | X | |
| 23 | Toolbox | HELI | 591 | 66 | | 5 | | | X | | X |
| 24 | Toolbox | HELI | 784 | 87 | | 1 | | X | | X | |
| 26 | Toolbox | Ground | 787 | 99 | | 5 | | | X | | X |
| 27 | Toolbox | Ground | 288 | 81 | | | | | X | | X |
| 28 | Toolbox | Ground | 236 | 75 | | | | X | | X | |
| 29 | Toolbox | Ground | 29 | 14 | | | 0 | X | | X | |
| 30 | Toolbox | Ground | 99 | 25 | | | 5 | | X | | X |
| 31 | Toolbox | Ground | 392 | 71 | | 1 | | | X | X | |
| 33 | Toolbox | Ground | 1102 | 193 | | 1 | 6 | | X | X | |
| 35 | Toolbox | Ground | 195 | 24 | | 2 | | | X | X | |
| 37 | Toolbox | Ground | 545 | 67 | | | | X | | X | |
| 38 | Toolbox | Ground | 168 | 25 | | | | | X | X | |
| 39 | Toolbox | Ground | 61 | 16 | | | | | X | X | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | ≥ 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 41 | Toolbox | Ground | 211 | 48 | | 1 | | X | X | | |
| 42 | Toolbox | Ground | 315 | 40 | | | | X | X | | |
| 45 | Toolbox | Ground | 411 | 52 | | | | X | X | | |
| 46 | Toolbox | Ground | 377 | 78 | | | 0 | X | X | | |
| 47 | Toolbox | Ground | 56 | 14 | | | | X | | X | |
| 49 | Toolbox | Ground | 360 | 46 | | 8 | 1 | X | | X | |
| 52 | Toolbox | Ground | 264 | 65 | | 9 | 0 | X | X | | |
| 53 | Toolbox | Ground | 55 | 7 | | 1 | | X | | X | |
| 54 | Toolbox | Ground | 50 | 26 | | 6 | | X | X | | |
| 57 | Toolbox | Ground | 21 | 9 | | | | X | X | | |
| 58 | Toolbox | Ground | 415 | 104 | | | | X | X | | |
| 59 | Toolbox | Ground | 20 | 10 | | | | X | | X | |
| 62 | Toolbox | Ground | 217 | 62 | | | | X | X | | |
| 64 | Toolbox | Ground | 244 | 64 | | | | X | X | | |
| 66 | Toolbox | Ground | 292 | 35 | | | | X | X | | |
| 67 | Toolbox | Ground | 4 | 2 | | | | X | X | | |
| 68 | Toolbox | Ground | 486 | 71 | | | | X | X | | |
| 69 | Toolbox | Ground | 282 | 71 | | 9 | | X | | X | |
| 70 | Toolbox | Ground | 129 | 24 | | | | X | X | | |
| 71 | Toolbox | Ground | 49 | 20 | | 0 | | X | X | | |
| 72 | Toolbox | Ground | 23 | 6 | | | | X | | X | |
| 75 | Toolbox | Ground | 131 | 33 | | 1 | | X | | X | |
| 76 | Toolbox | Ground | 12 | 6 | | | | X | X | | |
| 77 | Toolbox | Ground | 40 | 10 | | 3 | 1 | X | | X | |
| 78 | Toolbox | Ground | 0 | 0 | | | | X | X | | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | ≥ 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 80 | Toolbox | Ground | 43 | 11 | | | | X | | | X |
| 81 | Toolbox | Ground | 4 | 2 | | | | X | | X | |
| 82 | Toolbox | Ground | 13 | 7 | | | | | X | X | |
| 83 | Toolbox | Ground | 186 | 47 | | | | | X | X | |
| 84 | Toolbox | Ground | 13 | 8 | | | 0 | | X | | X |
| 88 | Toolbox | Ground | 3 | 2 | | 1 | | X | | X | |
| 89 | Toolbox | Ground | 501 | 76 | | 5 | | | X | X | |
| 90 | Toolbox | Ground | 746 | 126 | | 13 | | | X | | X |
| 91 | Toolbox | Ground | 49 | 13 | | | | X | | | X |
| 92 | Toolbox | Ground | 31 | 8 | | 0 | 2 | X | | | X |
| 93 | Toolbox | Ground | 25 | 12 | | | | | X | X | |
| 94 | Toolbox | Ground | 107 | 14 | | 2 | | | X | X | |
| 95 | Toolbox | Ground | 114 | 14 | | 8 | | | X | X | |
| 96 | Toolbox | Ground | 100 | 12 | | 0 | | | X | X | |
| 101 | Toolbox | Ground | 7 | 2 | | | | X | | X | |
| 102 | Toolbox | Ground | 608 | 107 | | | | X | | X | |
| 103 | Toolbox | Ground | 543 | 71 | | | | | X | | X |
| 104 | Toolbox | Ground | 463 | 59 | | | | | X | | X |
| 106 | Toolbox | Ground | 388 | 49 | | 1 | 1 | | X | | X |
| 107 | Toolbox | Ground | 15 | 2 | | | | | X | | X |
| 109 | Toolbox | Ground | 513 | 73 | | | | | X | X | |
| 111 | Toolbox | Ground | 329 | 64 | | | | | X | X | |
| 113 | Toolbox | Ground | 49 | 18 | | 2 | | X | | X | |
| 115 | Toolbox | Ground | 215 | 40 | | | | X | | X | |
| 116 | Toolbox | Ground | 114 | 42 | | 5 | | X | | X | |
| 117 | Toolbox | Ground | 238 | 28 | | 2 | | | X | X | |
| 118 | Toolbox | Ground | 417 | 55 | | 2 | | | X | | X |
| 119 | Toolbox | Ground | 1 | 1 | | | | X | | X | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | ≥ 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 120 | Toolbox | Ground | 249 | 46 | | 6 | | X | | X | |
| 123 | Toolbox | Ground | 149 | 20 | | 5 | | X | | X | |
| 124 | Toolbox | Ground | 77 | 25 | | 0 | | X | X | | |
| 125 | Toolbox | Ground | 68 | 10 | | | | X | | X | |
| 126 | Toolbox | Ground | 313 | 57 | | 4 | | X | | X | |
| 127 | Toolbox | Ground | 337 | 42 | | | X | | X | | |
| 130 | Toolbox | Ground | 328 | 89 | | 1 | 7 | X | | X | |
| 131 | Toolbox | Ground | 2266 | 369 | | | 33 | X | | X | |
| 132 | Toolbox | Ground | 5 | 2 | | | | X | | X | |
| 133 | Toolbox | Ground | 22 | 9 | | | | X | | X | |
| 134 | Toolbox | Ground | 1112 | 126 | | 2 | | X | | X | |
| 135 | Toolbox | Ground | 72 | 26 | | 6 | | X | | X | |
| 136 | Toolbox | Ground | 87 | 32 | | | 3 | X | | X | |
| 137 | Toolbox | Ground | 135 | 36 | | | 5 | X | | X | |
| 138 | Toolbox | Ground | 1011 | 197 | | | | X | | X | |
| 139 | Toolbox | Ground | 78 | 19 | | | | X | | X | |
| 141 | Toolbox | Ground | 195 | 27 | | | | X | | X | |
| 142 | Toolbox | Ground | 462 | 63 | | | | X | | X | |
| 144 | Toolbox | Ground | 285 | 62 | | | | X | | X | |
| 146 | Toolbox | Ground | 24 | 6 | | 2 | | X | | X | |
| 147 | Toolbox | Ground | 110 | 25 | | | | X | | X | |
| 148 | Toolbox | Ground | 118 | 15 | | | | X | | X | |
| 149 | Toolbox | Ground | 1053 | 137 | | | | X | | X | |
| 150 | Toolbox | Ground | 9 | 4 | | | | X | | X | |
| 151 | Toolbox | Ground | 951 | 112 | | | | X | | X | |
| 152 | Toolbox | Ground | 88 | 25 | | | | X | | X | |
| 153 | Toolbox | Ground | 101 | 13 | | | | X | | X | |
| 154 | Toolbox | Ground | 246 | 31 | | | | X | | X | |
| 155 | Toolbox | Ground | 40 | 9 | | | | X | | X | |
| 156 | Toolbox | Ground | 394 | 46 | | 2 | | X | | X | |
| 157 | Toolbox | Ground | 212 | 27 | | | | X | | X | |
| 158 | Toolbox | Ground | 100 | 12 | | | | X | | X | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | ≥ 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 161 | Toolbox | Ground | 323 | 82 | | | | | X | | |
| 162 | Toolbox | Ground | 115 | 35 | | | X | | X | | |
| 163 | Toolbox | Ground | 117 | 29 | | | X | | X | | |
| 164 | Toolbox | Ground | 111 | 15 | | | | X | X | | |
| 165 | Toolbox | Ground | 47 | 10 | | | X | | X | | |
| 166 | Toolbox | Ground | 226 | 85 | | | X | | X | | |
| 167 | Toolbox | Ground | 105 | 22 | | 4 | X | | X | | |
| 168 | Toolbox | Ground | 164 | 38 | | | X | | X | | |
| 169 | Toolbox | Ground | 727 | 120 | | 4 | | X | X | | |
| 171 | Toolbox | Ground | 433 | 48 | | | X | | X | | |
| 173 | Toolbox | Ground | 120 | 30 | | | X | | X | | |
| 174 | Toolbox | Ground | 311 | 35 | | | X | | | X | |
| 175 | Toolbox | Ground | 99 | 12 | | | X | | X | | |
| 178 | Silver | Ground | 11 | 3 | | | X | | | X | |
| 179 | Silver | Ground | 50 | 12 | 4 | 9 | X | | X | | |
| 180 | Silver | Ground | 15 | 5 | | 2 | X | | X | | |
| 181 | Silver | Ground | 3 | 2 | | | X | | X | | |
| 182 | Silver | Ground | 70 | 34 | | 20 | X | | X | | |
| 184 | Silver | Ground | 102 | 43 | | 2 | X | | | X | |
| 185 | Silver | Ground | 116 | 39 | | 3 | X | | X | | |
| 186 | Silver | Ground | 174 | 52 | | | X | | X | | |
| 187 | Silver | Ground | 141 | 34 | | 4 | | X | | X | |
| 189 | Silver | Ground | 40 | 10 | | | | X | | X | |
| 190 | Silver | Ground | 315 | 67 | | 3 | X | | | X | |
| 191 | Silver | Ground | 134 | 34 | | 9 | X | | X | | |
| 193 | Silver | Ground | 394 | 59 | | 5 | | X | | X | |
| 198 | Silver | Ground | 243 | 55 | | 2 | X | | X | | |
| 199 | Silver | Ground | 115 | 30 | | | | X | X | | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | >= 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 200 | Silver | Ground | 235 | 44 | 1 | | | X | X | | |
| 201 | Silver | Ground | 22 | 3 | | | | X | | X | |
| 202 | Silver | Ground | 38 | 13 | | | X | | X | | |
| 203 | Silver | Ground | 78 | 10 | | | 1 | X | | X | |
| 206 | Silver | Ground | 27 | 4 | | | | X | | X | |
| 207 | Silver | Ground | 22 | 8 | | | | X | X | | |
| 208 | Silver | Ground | 40 | 11 | | | | X | X | | |
| 209 | Silver | Ground | 28 | 14 | | | | X | X | | |
| 210 | Silver | Ground | 116 | 32 | | 3 | | X | X | | |
| 212 | Silver | Ground | 9 | 5 | | | | X | X | | |
| 213 | Silver | Ground | 76 | 21 | | | | X | X | | |
| 214 | Silver | Ground | 221 | 37 | | 2 | 1 | | X | X | |
| 215 | Silver | Ground | 105 | 15 | | | | X | X | | |
| 216 | Silver | Ground | 340 | 53 | | 2 | | | X | X | |
| 217 | Silver | Ground | 442 | 75 | 1 | 12 | | | X | X | |
| 218 | Silver | Ground | 55 | 10 | | 1 | | X | X | | |
| 219 | Silver | Ground | 34 | 4 | | 1 | | X | | X | |
| 220 | Silver | Ground | 13 | 7 | 3 | 0 | | X | X | | |
| 221 | Silver | Ground | 328 | 45 | | | | X | X | | |
| 224 | Silver | Ground | 187 | 30 | | 4 | | | X | X | |
| 225 | Silver | Ground | 418 | 86 | | 30 | | X | | X | |
| 226 | Silver | Ground | 163 | 38 | | | | X | X | | |
| 227 | Silver | Ground | 3 | 3 | | 3 | | X | | X | |
| 228 | Silver | Ground | 28 | 7 | | 1 | | | X | X | |
| 230 | Silver | Ground | 252 | 63 | | 6 | | | X | X | |
| 231 | Silver | Ground | 44 | 13 | | 1 | | | X | X | |
| 232 | Silver | Ground | 19 | 2 | | 1 | | X | | X | |
| 234 | Silver | Ground | 358 | 44 | | 5 | | | X | X | |
| 235 | Silver | Ground | 712 | 122 | | 4 | | | X | X | |
| 236 | Silver | Ground | 130 | 15 | 4 | 5 | 0 | | X | X | |
| 237 | Silver | Ground | 49 | 7 | | | | | X | X | |
| 238 | Silver | Ground | 92 | 16 | | | | | X | X | |
| 239 | Silver | Ground | 1011 | 146 | | | 2 | | X | X | |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | >= 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 240 | Silver | Ground | 968 | 126 | | | | | X | | X |
| 241 | Silver | Ground | 1077 | 214 | | | | X | | X | |
| 244 | Silver | Ground | 405 | 54 | | | | X | | X | |
| 245 | Silver | Ground | 996 | 137 | 4 | | | | X | X | |
| 246 | Silver | Ground | 23 | 6 | | | | | X | X | |
| 247 | Silver | Ground | 7 | 3 | | | | X | | X | |
| 248 | Silver | Ground | 6 | 1 | | | | | X | X | |
| 249 | Silver | Ground | 44 | 5 | | | | | X | | X |
| 250 | Silver | Ground | 21 | 5 | | | | | X | X | |
| 251 | Silver | Ground | 315 | 57 | 0 | | | | X | X | |
| 255 | Silver | Ground | 293 | 62 | | | | | X | | X |
| 256 | Silver | Ground | 390 | 85 | | | | | X | X | |
| 257 | Silver | Ground | 543 | 80 | | | | | X | X | |
| 258 | Silver | Ground | 788 | 142 | | | 4 | | X | X | |
| 259 | Silver | Ground | 23 | 6 | | | | X | | X | |
| 261 | Silver | Ground | 552 | 130 | 1 | | | | X | X | |
| 262 | Silver | Ground | 49 | 13 | | | | X | | X | |
| 263 | Silver | Ground | 210 | 79 | | 3 | | | X | X | |
| 264 | Silver | Ground | 143 | 27 | | | | | X | | X |
| 265 | Silver | Ground | 3 | 2 | | | | X | | X | |
| 266 | Silver | Ground | 162 | 23 | | | | | X | | X |
| 269 | Silver | Ground | 203 | 25 | | 1 | | | X | | X |
| 271 | Silver | Ground | 583 | 117 | | 2 | | | X | | X |
| 273 | Silver | Ground | 1396 | 254 | | 6 | 13 | | X | X | |
| 274 | Silver | Ground | 312 | 67 | | | 5 | X | | | X |
| 275 | Silver | Ground | 167 | 28 | | | 3 | X | | X | |
| 276 | Silver | Ground | 37 | 10 | | | | X | | | X |
| 277 | Silver | Ground | 1165 | 185 | | | | X | | | X |
| 278 | Silver | Ground | 1038 | 237 | 1 | | 0 | | X | X | |
| 279 | Silver | Ground | 17 | 4 | | | | | X | | X |

Alternative E (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------------------|--------------------------------|-------------------|---|-------|----------------------|-----|-----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <30 tpa (therefore WTY or YTA only) | >= 30 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 280 | Silver | Ground | 434 | 73 | | | | X | | | X |
| 281 | Silver | Ground | 321 | 41 | | | | X | | X | |
| 282 | Silver | Ground | 223 | 54 | | | | | X | X | |
| 284 | Silver | Ground | 41 | 11 | | | | X | | X | |
| 285 | Silver | Ground | 1958 | 308 | | 1 | | X | | X | |
| 287 | Silver | Ground | 1088 | 152 | | | 7 | | X | | X |
| 288 | Silver | Ground | 905 | 199 | | | 17 | X | | X | |
| 289 | Silver | Ground | 917 | 121 | | | | X | | | X |
| 290 | Silver | Ground | 346 | 44 | | | | X | | | X |
| 291 | Silver | Ground | 179 | 27 | | | 2 | | X | | X |
| 292 | Silver | Ground | 33 | 5 | | | 1 | X | | X | |
| 293 | Silver | Ground | 71 | 9 | | 4 | | | X | | X |
| 294 | Silver | Ground | 14 | 2 | | 1 | | X | | X | |
| 296 | Silver | Ground | 668 | 121 | | 12 | | X | | | X |
| 298 | Silver | Ground | 413 | 86 | | | | | X | | X |
| 299 | Silver | Ground | 78 | 27 | | | | X | | X | |
| 300 | Silver | Ground | 312 | 39 | | | | X | | | X |
| 301 | Silver | Ground | 492 | 64 | | 7 | | X | | | X |
| 302 | Silver | Ground | 48 | 18 | | 5 | | X | | X | |
| 303 | Silver | Ground | 795 | 174 | | 11 | | X | | X | |
| 305 | Silver | Ground | 27 | 7 | | | | X | | X | |
| 307 | Silver | Ground | 209 | 29 | | 4 | | X | | X | |
| 308 | Silver | Ground | 73 | 19 | | | | X | | | X |
| 309 | Silver | Ground | 324 | 89 | | 5 | | X | | X | |
| 310 | Silver | Ground | 94 | 30 | | 3 | | X | | | X |
| 311 | Silver | Ground | 561 | 64 | | 1 | | X | | | X |
| 312 | Silver | Ground | 84 | 10 | | 2 | | X | | | X |
| Alt. E Grand Total | | | 66108 | 11490 | 19 | 390 | 123 | | | | |

| Alternative G | | | | | | | | | | | |
|---------------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 1 | Toolbox | Ground | 11 | 3 | | 1 | | X | | X | |
| 2 | Toolbox | Ground | 181 | 25 | | 1 | 1 | X | | X | |
| 3 | Toolbox | Ground | 423 | 47 | | | 1 | | X | | X |
| 4 | Toolbox | Ground | 43 | 6 | | | | | X | | X |
| 5 | Toolbox | Ground | 66 | 33 | | 1 | 2 | | X | | X |
| 6 | Toolbox | Ground | 244 | 37 | | | 3 | | X | | X |
| 7 | Toolbox | Ground | 174 | 48 | | | | | X | X | |
| 8 | Toolbox | Ground | 54 | 27 | | | | X | | | X |
| 9 | Toolbox | Ground | 1328 | 200 | | 8 | | | X | | X |
| 10 | Toolbox | Ground | 40 | 5 | | 3 | | X | | X | |
| 11 | Toolbox | Ground | 279 | 35 | | 5 | | SEE ALT G AUX | | | X |
| 12 | Toolbox | HELI | 95 | 11 | | 4 | | | X | | X |
| 13 | Toolbox | Ground | 209 | 23 | | 12 | | | X | | X |
| 14 | Toolbox | Ground | 87 | 22 | | | | | X | | X |
| 15 | Toolbox | Ground | 49 | 10 | | 10 | | | X | | X |
| 16 | Toolbox | Ground | 111 | 14 | | 2 | | | X | | X |
| 17 | Toolbox | Ground | 11 | 3 | | 3 | | | X | | X |
| 18 | Toolbox | Ground | 425 | 106 | | 2 | | | X | X | |
| 19 | Toolbox | Ground | 523 | 79 | | 4 | | | X | X | |
| 20 | Toolbox | Ground | 355 | 89 | | | | X | | X | |
| 21 | Toolbox | Ground | 843 | 108 | | | | | X | | X |
| 22 | Toolbox | HELI | 1339 | 154 | | 5 | | | X | X | |
| 23 | Toolbox | HELI | 592 | 66 | | 5 | | | X | | X |
| 24 | Toolbox | HELI | 785 | 87 | | 1 | | | X | X | |
| 25 | Toolbox | Ground | 62 | 31 | | | | X | | X | |
| 26 | Toolbox | Ground | 787 | 99 | | 5 | | | X | | X |
| 27 | Toolbox | Ground | 288 | 81 | | | | | X | | X |
| 28 | Toolbox | Ground | 237 | 75 | | | | SEE ALT G AUX | | X | |
| 29 | Toolbox | Ground | 197 | 98 | | | 1 | SEE ALT G AUX | | X | |
| 30 | Toolbox | Ground | 100 | 25 | | | 5 | | X | | X |
| 31 | Toolbox | Ground | 393 | 71 | | 1 | | | X | X | |
| 32 | Toolbox | Ground | 27 | 13 | | | | | X | | X |
| 33 | Toolbox | Ground | 1103 | 193 | | 1 | 5 | | X | X | |
| 34 | Toolbox | Ground | 173 | 47 | | 3 | 5 | | X | X | |
| 35 | Toolbox | Ground | 195 | 24 | | 2 | | | X | X | |
| 36 | Toolbox | HELI | 73 | 9 | | 5 | | | X | X | |
| 37 | Toolbox | Ground | 545 | 67 | | | | X | | X | |
| 38 | Toolbox | Ground | 168 | 25 | | | | | X | X | |
| 39 | Toolbox | Ground | 61 | 16 | | | | | X | X | |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 40 | Toolbox | HELI | 199 | 22 | | 0 | 4 | | X | | X |
| 41 | Toolbox | Ground | 211 | 48 | | 1 | | | X | X | |
| 42 | Toolbox | Ground | 315 | 40 | | | | | X | X | |
| 43 | Toolbox | Ground | 57 | 28 | | | | | X | | X |
| 44 | Toolbox | HELI | 168 | 19 | | | | | X | | X |
| 45 | Toolbox | Ground | 411 | 52 | | | | | X | X | |
| 46 | Toolbox | Ground | 377 | 78 | | | | | X | X | |
| 47 | Toolbox | Ground | 56 | 14 | | | | | X | | X |
| 48 | Toolbox | HELI | 87 | 11 | | | 2 | | X | | X |
| 49 | Toolbox | Ground | 361 | 46 | | 8 | 1 | | X | | X |
| 50 | Toolbox | Ground | 46 | 23 | | | | | X | X | |
| 51 | Toolbox | Ground | 33 | 17 | | | | | X | | X |
| 52 | Toolbox | Ground | 264 | 65 | | 9 | 0 | | X | X | |
| 53 | Toolbox | Ground | 55 | 7 | | 1 | | | X | | X |
| 54 | Toolbox | Ground | 142 | 72 | | 7 | | | X | X | |
| 55 | Toolbox | Ground | 24 | 12 | | 2 | | | X | | X |
| 56 | Toolbox | Ground | 13 | 7 | | 2 | | | X | | X |
| 57 | Toolbox | Ground | 68 | 31 | | | | | X | X | |
| 58 | Toolbox | Ground | 415 | 104 | | | | X | | X | |
| 59 | Toolbox | Ground | 76 | 38 | | | | | X | | X |
| 60 | Toolbox | Ground | 28 | 14 | | | | | X | X | |
| 61 | Toolbox | Ground | 118 | 59 | | | | X | | X | |
| 62 | Toolbox | Ground | 217 | 62 | | | | | X | X | |
| 63 | Toolbox | Ground | 120 | 60 | | | | X | | X | |
| 64 | Toolbox | Ground | 244 | 64 | | | | X | | X | |
| 65 | Toolbox | Ground | 41 | 21 | | | | X | | X | |
| 66 | Toolbox | Ground | 292 | 35 | | | | | X | X | |
| 67 | Toolbox | Ground | 19 | 9 | | | | | X | X | |
| 68 | Toolbox | Ground | 486 | 71 | | | | | X | X | |
| 69 | Toolbox | Ground | 282 | 71 | | 9 | | | X | | X |
| 70 | Toolbox | Ground | 130 | 24 | | | | | X | X | |
| 71 | Toolbox | Ground | 49 | 20 | | 0 | | X | | X | |
| 72 | Toolbox | Ground | 23 | 6 | | | | | X | | X |
| 73 | Toolbox | Ground | 33 | 17 | | | | | X | X | |
| 74 | Toolbox | Ground | 15 | 8 | | | | | X | X | |
| 75 | Toolbox | Ground | 131 | 33 | | 1 | | | X | | X |
| 76 | Toolbox | Ground | 141 | 74 | | 1 | 2 | X | | X | |
| 77 | Toolbox | Ground | 40 | 10 | | 3 | 1 | | X | | X |
| 78 | Toolbox | Ground | 56 | 32 | | | | X | | X | |
| 79 | Toolbox | Ground | 11 | 5 | | | | X | | X | |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 80 | Toolbox | Ground | 43 | 11 | | | | | X | | X |
| 81 | Toolbox | Ground | 42 | 19 | | | | X | | X | |
| 82 | Toolbox | Ground | 13 | 7 | | | | | X | X | |
| 83 | Toolbox | Ground | 186 | 47 | | | | | X | X | |
| 84 | Toolbox | Ground | 62 | 32 | | | 3 | | X | | X |
| 85 | Toolbox | Ground | 77 | 38 | | | | | X | | X |
| 86 | Toolbox | Ground | 21 | 11 | | 1 | | X | | X | |
| 87 | Toolbox | Ground | 67 | 34 | | | | X | | X | |
| 88 | Toolbox | Ground | 15 | 8 | | 1 | | X | | X | |
| 89 | Toolbox | Ground | 501 | 76 | | 5 | | | X | X | |
| 90 | Toolbox | Ground | 746 | 126 | | 13 | | | X | | X |
| 91 | Toolbox | Ground | 49 | 13 | | | | | X | | X |
| 92 | Toolbox | Ground | 31 | 8 | | 0 | 2 | | X | | X |
| 93 | Toolbox | Ground | 249 | 108 | | | | | X | | X |
| 94 | Toolbox | Ground | 107 | 14 | | 2 | | | X | X | |
| 95 | Toolbox | Ground | 114 | 14 | | 8 | | | X | X | |
| 96 | Toolbox | Ground | 100 | 12 | | 0 | | | X | X | |
| 97 | Toolbox | Ground | 151 | 76 | | 1 | | | X | X | |
| 98 | Toolbox | Ground | 36 | 18 | | 2 | | X | | X | |
| 99 | Toolbox | Ground | 58 | 29 | | 1 | 3 | X | | X | |
| 100 | Toolbox | Ground | 33 | 17 | | | | X | | X | |
| 101 | Toolbox | Ground | 7 | 2 | | | | SEE ALT G AUX | | X | |
| 102 | Toolbox | Ground | 608 | 107 | | | | X | | X | |
| 103 | Toolbox | Ground | 543 | 71 | | | | | X | | X |
| 104 | Toolbox | Ground | 463 | 58 | | | | | X | | X |
| 105 | Toolbox | HELI | 69 | 9 | | | | | X | X | |
| 106 | Toolbox | Ground | 388 | 49 | | 1 | 1 | | X | | X |
| 107 | Toolbox | Ground | 15 | 2 | | | | | X | | X |
| 108 | Toolbox | Ground | 15 | 8 | | | | X | | X | |
| 109 | Toolbox | Ground | 514 | 73 | | | | | X | X | |
| 110 | Toolbox | HELI | 116 | 15 | | | | | X | X | |
| 111 | Toolbox | Ground | 329 | 64 | | | | | X | X | |
| 112 | Toolbox | HELI | 55 | 7 | | | | X | | X | |
| 113 | Toolbox | Ground | 49 | 18 | | 2 | | SEE ALT G AUX | | X | |
| 114 | Toolbox | Ground | 59 | 29 | | | | | X | X | |
| 115 | Toolbox | Ground | 215 | 40 | | | | | X | X | |
| 116 | Toolbox | Ground | 114 | 42 | | 5 | | | X | X | |
| 117 | Toolbox | Ground | 238 | 28 | | 2 | | | X | X | |
| 118 | Toolbox | Ground | 417 | 55 | | 2 | | | X | | X |
| 119 | Toolbox | Ground | 14 | 7 | | | | | X | X | |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|---------------|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 120 | Toolbox | Ground | 250 | 46 | | 6 | | X | | X | |
| 121 | Toolbox | Ground | 14 | 7 | | | | X | X | | |
| 122 | Toolbox | Ground | 6 | 3 | | | | X | X | | |
| 123 | Toolbox | Ground | 149 | 20 | | 5 | | X | | X | |
| 124 | Toolbox | Ground | 77 | 25 | | 0 | | X | X | | |
| 125 | Toolbox | Ground | 69 | 10 | | | | X | X | | |
| 126 | Toolbox | Ground | 313 | 57 | | 4 | | X | | X | |
| 127 | Toolbox | Ground | 337 | 42 | | | X | | X | | |
| 128 | Toolbox | Ground | 118 | 54 | | | SEE ALT G AUX | | X | | |
| 129 | Toolbox | Ground | 22 | 11 | | 0 | 2 | X | X | | |
| 130 | Toolbox | Ground | 328 | 89 | | 1 | 7 | X | | X | |
| 131 | Toolbox | Ground | 2267 | 369 | | | 33 | X | | X | |
| 132 | Toolbox | Ground | 46 | 23 | | | | X | X | | |
| 133 | Toolbox | Ground | 22 | 9 | | | | X | X | | |
| 134 | Toolbox | Ground | 1113 | 126 | | 2 | | X | X | | |
| 135 | Toolbox | Ground | 72 | 26 | | 6 | | X | | X | |
| 136 | Toolbox | Ground | 87 | 32 | | | 3 | X | X | | |
| 137 | Toolbox | Ground | 135 | 36 | | | 5 | X | X | | |
| 138 | Toolbox | Ground | 1012 | 197 | | | | X | X | | |
| 139 | Toolbox | Ground | 78 | 19 | | | | X | X | | |
| 140 | Toolbox | Ground | 53 | 26 | | | | X | | X | |
| 141 | Toolbox | Ground | 195 | 27 | | | | SEE ALT G AUX | | X | |
| 142 | Toolbox | Ground | 462 | 63 | | | | X | X | | |
| 143 | Toolbox | Ground | 46 | 23 | | | 2 | X | | X | |
| 144 | Toolbox | Ground | 285 | 62 | | | | X | | X | |
| 145 | Toolbox | Ground | 313 | 148 | | | | X | | X | |
| 146 | Toolbox | Ground | 24 | 6 | | 2 | | X | | X | |
| 147 | Toolbox | Ground | 110 | 25 | | | | SEE ALT G AUX | | X | |
| 148 | Toolbox | Ground | 118 | 15 | | | | SEE ALT G AUX | | X | |
| 149 | Toolbox | Ground | 1054 | 137 | | | | X | | X | |
| 150 | Toolbox | Ground | 83 | 38 | | | | X | | X | |
| 151 | Toolbox | Ground | 951 | 112 | | | | X | X | | |
| 152 | Toolbox | Ground | 88 | 25 | | | | X | X | | |
| 153 | Toolbox | Ground | 101 | 13 | | | | X | | X | |
| 154 | Toolbox | Ground | 247 | 31 | | | | X | | X | |
| 155 | Toolbox | Ground | 40 | 9 | | | | X | | X | |
| 156 | Toolbox | Ground | 394 | 46 | | 2 | | X | X | | |
| 157 | Toolbox | Ground | 212 | 27 | | | | X | | X | |
| 158 | Toolbox | Ground | 100 | 12 | | | | X | | X | |
| 159 | Toolbox | Ground | 91 | 45 | | | | X | | X | |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 160 | Toolbox | Ground | 63 | 31 | | | | X | | X | |
| 161 | Toolbox | Ground | 323 | 82 | | | | | X | X | |
| 162 | Toolbox | Ground | 115 | 35 | | | | X | | X | |
| 163 | Toolbox | Ground | 117 | 29 | | | | X | | X | |
| 164 | Toolbox | Ground | 111 | 15 | | | | | X | X | |
| 165 | Toolbox | Ground | 47 | 10 | | | | X | | X | |
| 166 | Toolbox | Ground | 227 | 85 | | | | X | | X | |
| 167 | Toolbox | Ground | 106 | 22 | | 4 | | X | | X | |
| 168 | Toolbox | Ground | 164 | 38 | | | | X | | X | |
| 169 | Toolbox | Ground | 727 | 121 | | 4 | | | X | X | |
| 170 | Toolbox | Ground | 43 | 21 | | | | X | | X | |
| 171 | Toolbox | Ground | 433 | 48 | | | | X | | X | |
| 172 | Toolbox | Ground | 58 | 29 | | | | X | | X | |
| 173 | Toolbox | Ground | 120 | 30 | | | | X | | X | |
| 174 | Toolbox | Ground | 311 | 35 | | | | X | | X | |
| 175 | Toolbox | Ground | 99 | 12 | | | | X | | X | |
| 176 | Toolbox | Ground | 95 | 48 | | | | | X | X | |
| 177 | Silver | HELI | 165 | 21 | | 2 | | | X | | X |
| 178 | Silver | Ground | 11 | 3 | | | | X | | | X |
| 179 | Silver | Ground | 50 | 12 | 4 | 9 | | X | | X | |
| 180 | Silver | Ground | 15 | 5 | | 2 | | X | | X | |
| 181 | Silver | Ground | 59 | 30 | | 2 | | X | | X | |
| 182 | Silver | Ground | 322 | 157 | | 26 | | X | | X | |
| 183 | Silver | Ground | 56 | 26 | | | | X | | | X |
| 184 | Silver | Ground | 102 | 43 | | 2 | | | X | | X |
| 185 | Silver | Ground | 116 | 39 | | 3 | | X | | X | |
| 186 | Silver | Ground | 174 | 52 | | | | X | | X | |
| 187 | Silver | Ground | 141 | 34 | | 4 | | | X | | X |
| 188 | Silver | Ground | 16 | 8 | | 1 | | | X | X | |
| 189 | Silver | Ground | 40 | 10 | | | | | X | | X |
| 190 | Silver | Ground | 315 | 67 | | 3 | | | X | | X |
| 191 | Silver | Ground | 134 | 34 | | 8 | | | X | X | |
| 192 | Silver | Ground | 36 | 18 | | | | | X | X | |
| 193 | Silver | Ground | 394 | 59 | | 5 | | | X | X | |
| 194 | Silver | Ground | 10 | 5 | | 1 | | | X | X | |
| 195 | Silver | Ground | 81 | 42 | | 3 | 0 | X | | X | |
| 196 | Silver | Ground | 61 | 30 | | | | X | | X | |
| 197 | Silver | Ground | 54 | 14 | | | | | X | X | |
| 198 | Silver | Ground | 243 | 55 | | 2 | | | X | | X |
| 199 | Silver | Ground | 115 | 30 | | | | | X | | X |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 200 | Silver | Ground | 228 | 43 | | | | X | X | | |
| 201 | Silver | Ground | 22 | 3 | | | | X | X | | |
| 202 | Silver | Ground | 38 | 13 | | | | X | X | | |
| 203 | Silver | Ground | 78 | 10 | | | 1 | X | | X | |
| 204 | Silver | Ground | 80 | 40 | | | | X | X | | |
| 205 | Silver | Ground | 16 | 8 | | | | X | X | | |
| 206 | Silver | Ground | 27 | 4 | | | | X | | X | |
| 207 | Silver | Ground | 22 | 8 | | | | X | X | | |
| 208 | Silver | Ground | 40 | 11 | | | | X | X | | |
| 209 | Silver | Ground | 223 | 108 | | | | X | X | | |
| 210 | Silver | Ground | 116 | 32 | | 3 | | X | X | | |
| 211 | Silver | Ground | 17 | 8 | | | | X | X | | |
| 212 | Silver | Ground | 9 | 5 | | | | X | X | | |
| 213 | Silver | Ground | 76 | 21 | | | | X | X | | |
| 214 | Silver | Ground | 221 | 37 | | 2 | 1 | X | | X | |
| 215 | Silver | Ground | 105 | 15 | | | | X | X | | |
| 216 | Silver | Ground | 340 | 53 | | 2 | | X | | X | |
| 217 | Silver | Ground | 442 | 75 | 1 | 12 | | X | | X | |
| 218 | Silver | Ground | 55 | 10 | | 1 | | X | | X | |
| 219 | Silver | Ground | 34 | 4 | | 1 | | SEE ALT G AUX | | X | |
| 220 | Silver | Ground | 88 | 42 | 3 | 1 | | X | X | | |
| 221 | Silver | Ground | 328 | 45 | | | | X | X | | |
| 222 | Silver | Ground | 130 | 53 | | 3 | | X | X | | |
| 223 | Silver | Ground | 53 | 27 | | | | X | X | | |
| 224 | Silver | Ground | 187 | 30 | | 4 | | X | | X | |
| 225 | Silver | Ground | 418 | 86 | | 30 | | X | | X | |
| 226 | Silver | Ground | 163 | 38 | | | | X | X | | |
| 227 | Silver | Ground | 62 | 33 | | 5 | | X | X | | |
| 228 | Silver | Ground | 28 | 7 | | 1 | | X | X | | |
| 229 | Silver | Ground | 47 | 23 | | 1 | | X | X | | |
| 230 | Silver | Ground | 252 | 63 | | 6 | | X | X | | |
| 231 | Silver | Ground | 44 | 13 | | 1 | | X | X | | |
| 232 | Silver | Ground | 19 | 2 | | 1 | | X | X | | |
| 233 | Silver | Ground | 228 | 97 | | 8 | | X | X | | |
| 234 | Silver | Ground | 358 | 44 | | 5 | | X | | X | |
| 235 | Silver | Ground | 711 | 122 | | 4 | | X | | X | |
| 236 | Silver | Ground | 130 | 15 | 4 | 5 | 0 | X | | X | |
| 237 | Silver | Ground | 49 | 7 | | | | X | X | | |
| 238 | Silver | Ground | 92 | 16 | | | | X | | X | |
| 239 | Silver | Ground | 1011 | 146 | | | 2 | X | | X | |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 240 | Silver | Ground | 967 | 126 | | | | | X | | X |
| 241 | Silver | Ground | 1077 | 214 | | | | X | | X | |
| 242 | Silver | HELI | 91 | 11 | | | | | X | | X |
| 243 | Silver | HELI | 83 | 9 | | | | | X | X | |
| 244 | Silver | Ground | 405 | 54 | | | | X | | X | |
| 245 | Silver | Ground | 990 | 136 | 3 | | | | X | X | |
| 246 | Silver | Ground | 23 | 6 | | | | | X | X | |
| 247 | Silver | Ground | 13 | 6 | | | | X | | X | |
| 248 | Silver | Ground | 6 | 1 | | | | | X | X | |
| 249 | Silver | Ground | 44 | 5 | | | | | X | | X |
| 250 | Silver | Ground | 21 | 5 | | | | | X | X | |
| 251 | Silver | Ground | 315 | 57 | | | | | X | X | |
| 253 | Silver | Ground | 29 | 14 | | | | | X | | X |
| 254 | Silver | Ground | 28 | 14 | | | | | X | | X |
| 255 | Silver | Ground | 293 | 62 | | | | | X | | X |
| 256 | Silver | Ground | 390 | 85 | | | | | X | X | |
| 257 | Silver | Ground | 543 | 80 | | | | | X | X | |
| 258 | Silver | Ground | 788 | 142 | | | 4 | | X | X | |
| 259 | Silver | Ground | 23 | 6 | | | | X | | X | |
| 260 | Silver | Ground | 19 | 10 | | | | | X | X | |
| 261 | Silver | Ground | 552 | 130 | 1 | | | | X | X | |
| 262 | Silver | Ground | 49 | 13 | | | | X | | X | |
| 263 | Silver | Ground | 210 | 79 | | 3 | | | X | X | |
| 264 | Silver | Ground | 143 | 27 | | | | | X | | X |
| 265 | Silver | Ground | 77 | 35 | | | | | X | X | |
| 266 | Silver | Ground | 162 | 23 | | | | | X | | X |
| 267 | Silver | Ground | 5 | 2 | | | | X | | X | |
| 268 | Silver | Ground | 123 | 58 | | | | X | | X | |
| 269 | Silver | Ground | 203 | 25 | | 1 | | | X | | X |
| 270 | Silver | Ground | 141 | 68 | | 0 | | | X | | X |
| 271 | Silver | Ground | 583 | 117 | | 2 | | | X | | X |
| 272 | Silver | Ground | 13 | 6 | | 3 | | X | | X | |
| 273 | Silver | Ground | 1396 | 254 | | 6 | 13 | | X | X | |
| 274 | Silver | Ground | 312 | 67 | | | 5 | | X | | X |
| 275 | Silver | Ground | 167 | 28 | | | 3 | X | | X | |
| 276 | Silver | Ground | 37 | 10 | | | | | X | | X |
| 277 | Silver | Ground | 1165 | 185 | | | | | X | | X |
| 278 | Silver | Ground | 1035 | 236 | | | 0 | | X | X | |
| 279 | Silver | Ground | 17 | 4 | | | | | X | | X |

Alternative G (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------------------|--------------------------------|-------------------|---|-------|----------------------|-----|-----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 280 | Silver | Ground | 434 | 73 | | | | X | | | X |
| 281 | Silver | Ground | 321 | 41 | | | | | X | X | |
| 282 | Silver | Ground | 223 | 54 | | | | | X | X | |
| 283 | Silver | Ground | 23 | 11 | | | | SEE ALT G AUX | | X | |
| 284 | Silver | Ground | 41 | 11 | | | | SEE ALT G AUX | | X | |
| 285 | Silver | Ground | 1958 | 308 | | 1 | | | X | X | |
| 286 | Silver | Ground | 69 | 35 | | | | | X | X | |
| 287 | Silver | Ground | 1088 | 152 | | | 7 | | X | | X |
| 288 | Silver | Ground | 905 | 199 | | | 17 | X | | X | |
| 289 | Silver | Ground | 917 | 121 | | | | | X | | X |
| 290 | Silver | Ground | 346 | 45 | | | | | X | | X |
| 291 | Silver | Ground | 179 | 27 | | | 2 | | X | | X |
| 292 | Silver | Ground | 33 | 5 | | | 1 | | X | X | |
| 293 | Silver | Ground | 71 | 9 | | 4 | | | X | | X |
| 294 | Silver | Ground | 14 | 2 | | 1 | | X | | X | |
| 295 | Silver | Ground | 168 | 84 | | | | X | | X | |
| 296 | Silver | Ground | 668 | 121 | | 12 | | X | | | X |
| 297 | Silver | Ground | 47 | 22 | | | | X | | X | |
| 298 | Silver | Ground | 412 | 86 | | | | | X | | X |
| 299 | Silver | Ground | 77 | 27 | | | | X | | X | |
| 300 | Silver | Ground | 312 | 39 | | | | | X | | X |
| 301 | Silver | Ground | 492 | 64 | | 7 | | | X | | X |
| 302 | Silver | Ground | 48 | 18 | | 5 | | | X | X | |
| 303 | Silver | Ground | 795 | 174 | | 11 | | | X | X | |
| 304 | Silver | Ground | 84 | 42 | | | | | X | X | |
| 305 | Silver | Ground | 27 | 7 | | | | | X | | X |
| 306 | Silver | Ground | 128 | 61 | | | | | X | | X |
| 307 | Silver | Ground | 209 | 29 | | 4 | | X | | X | |
| 308 | Silver | Ground | 73 | 19 | | | | | X | | X |
| 309 | Silver | Ground | 324 | 89 | | 5 | | X | | X | |
| 310 | Silver | Ground | 93 | 30 | | 3 | | | X | | X |
| 311 | Silver | Ground | 561 | 64 | | 1 | | | X | | X |
| 312 | Silver | Ground | 84 | 10 | | 2 | | | X | | X |
| Alt. G Grand Total | | | 73154 | 14419 | *15 | 448 | 147 | | | | |

* Note: all C1 RHCA within
Road hazard units

Alternative G (Auxiliary)

**Additional Fuels Treatment in
Conifer Type
Within a 1/4 mile buffer with Private Land**

| Harvest Units with Additional Fuels Treatment due to proximity to Private Lands | | Additional Fuels Treatment due to Proximity to Private Lands in Areas Outside of Harvest Units | | | | | |
|---|-------|---|-------|--------|-------|--------|-------|
| Unit # | Acres | Unit # | Acres | Unit # | Acres | Unit # | Acres |
| 11 | 30 | B1 | 9 | B47 | 39 | B93 | 7 |
| 20 | 17 | B2 | 36 | B48 | 12 | B94 | 5 |
| 25 | 16 | B3 | 26 | B49 | 112 | B95 | 59 |
| 27 | 81 | B4 | 2 | B50 | 5 | B96 | 25 |
| 28 | 75 | B5 | 3 | B51 | 66 | B97 | 1 |
| 29 | 98 | B6 | 8 | B52 | 5 | B98 | 49 |
| 58 | 98 | B7 | 66 | B53 | 40 | B99 | 27 |
| 61 | 3 | B8 | 18 | B54 | 1 | B100 | 16 |
| 71 | 6 | B9 | 9 | B55 | 21 | B101 | 1 |
| 76 | 45 | B10 | 24 | B56 | 228 | B102 | 1 |
| 76 | 26 | B11 | 54 | B57 | 200 | B103 | 44 |
| 78 | 21 | B12 | 7 | B58 | 6 | B104 | 2 |
| 79 | 5 | B13 | 54 | B59 | 17 | B105 | 44 |
| 87 | 21 | B14 | 1 | B60 | 31 | B106 | 10 |
| 98 | 4 | B15 | 63 | B61 | 46 | B107 | 16 |
| 101 | 2 | B16 | 2 | B62 | 2 | B108 | 1 |
| 102 | 86 | B17 | 6 | B63 | 11 | B109 | 21 |
| 102 | 10 | B18 | 1 | B64 | 68 | B110 | 34 |
| 108 | 7 | B19 | 3 | B65 | 25 | B111 | 47 |
| 113 | 18 | B20 | 72 | B66 | 7 | B112 | 34 |
| 127 | 42 | B21 | 3 | B67 | 3 | B113 | 28 |
| 128 | 54 | B22 | 88 | B68 | 10 | B114 | 33 |
| 140 | 7 | B23 | 3 | B69 | 3 | B115 | 1 |
| 141 | 27 | B24 | 2 | B70 | 43 | B116 | 79 |
| 147 | 26 | B25 | 15 | B71 | 134 | B117 | 3 |
| 148 | 15 | B26 | 76 | B72 | 1 | B118 | 79 |
| 149 | 39 | B27 | 77 | B73 | 2 | B119 | 57 |
| 149 | 9 | B28 | 103 | B74 | 57 | B120 | 31 |
| 153 | 2 | B29 | 199 | B75 | 17 | B121 | 50 |

Alternative G (Auxiliary) (continued)

| Harvest Units with Additional Fuels Treatment due to proximity to Private Lands | | Additional Fuels Treatment due to Proximity to Private Lands in Areas Outside of Harvest Units | | | | | | | |
|---|-------|--|-------|--------|-------|-------------|-------|--------|-------|
| Unit # | Acres | Unit # | Acres | Unit # | Acres | Unit # | Acres | Unit # | Acres |
| 181 | 21 | B30 | 97 | B76 | 2 | B122 | 1 | | |
| 209 | 7 | B31 | 3 | B77 | 129 | B123 | 4 | | |
| 219 | 4 | B32 | 38 | B78 | 3 | B124 | 82 | | |
| 281 | 1 | B33 | 17 | B79 | 12 | B125 | 16 | | |
| 283 | 11 | B34 | 22 | B80 | 93 | B126 | 15 | | |
| 284 | 11 | B35 | 6 | B81 | 20 | B127 | 66 | | |
| 285 | 95 | B36 | 1 | B82 | 69 | B128 | 18 | | |
| 292 | 5 | B37 | 39 | B83 | 104 | B129 | 23 | | |
| 294 | 1 | B38 | 513 | B84 | 154 | Grand Total | 5596 | | |
| 299 | 2 | B39 | 7 | B85 | 35 | | | | |
| 300 | 1 | B40 | 1 | B86 | 35 | | | | |
| 304 | 1 | B41 | 156 | B87 | 65 | | | | |
| 306 | 22 | B42 | 342 | B88 | 63 | | | | |
| 307 | 3 | B43 | 84 | B89 | 19 | | | | |
| 309 | 3 | B44 | 61 | B90 | 38 | | | | |
| 310 | 25 | B45 | 61 | B91 | 2 | | | | |
| 311 | 28 | B46 | 37 | B92 | 1 | | | | |
| Grand Total | 1132 | | | | | | | | |

| Alternative H | | | | | | | | | | | |
|---------------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 1 | Toolbox | Ground | 9 | 2 | | | | X | | X | |
| 2 | Toolbox | Ground | 166 | 23 | | | | X | | X | |
| 3 | Toolbox | Ground | 419 | 47 | | | | | X | | X |
| 4 | Toolbox | Ground | 43 | 6 | | | | | X | | X |
| 5 | Toolbox | Ground | 60 | 30 | | | | | X | | X |
| 6 | Toolbox | Ground | 222 | 35 | | | | | X | | X |
| 7 | Toolbox | Ground | 173 | 48 | | | | | X | X | |
| 8 | Toolbox | Ground | 54 | 27 | | | | X | | | X |
| 9 | Toolbox | Ground | 1263 | 192 | | | | | X | X | |
| 10 | Toolbox | Ground | 18 | 2 | | 1 | | X | | X | |
| 11 | Toolbox | Ground | 241 | 30 | | | | X | | | X |
| 13 | Toolbox | Ground | 200 | 22 | | 11 | | | X | | X |
| 14 | Toolbox | Ground | 87 | 22 | | | | | X | X | |
| 15 | Toolbox | Ground | 49 | 10 | | 10 | | | X | | X |
| 16 | Toolbox | Ground | 92 | 12 | | | | | X | | X |
| 17 | Toolbox | Ground | 12 | 3 | | 3 | | | X | | X |
| 18 | Toolbox | Ground | 417 | 104 | | | | | X | X | |
| 19 | Toolbox | Ground | 288 | 46 | | | | | X | X | |
| 20 | Toolbox | Ground | 310 | 78 | | | | X | | X | |
| 25 | Toolbox | Ground | 62 | 31 | | | | X | | X | |
| 26 | Toolbox | Ground | 746 | 94 | | | | | X | | X |
| 27 | Toolbox | Ground | 288 | 81 | | | | | X | | X |
| 28 | Toolbox | Ground | 237 | 75 | | | | X | | X | |
| 29 | Toolbox | Ground | 196 | 98 | | | 0 | X | | X | |
| 30 | Toolbox | Ground | 91 | 23 | | | 3 | | X | | X |
| 31 | Toolbox | Ground | 270 | 55 | | | | | X | X | |
| 32 | Toolbox | Ground | 27 | 13 | | | | | X | | X |
| 33 | Toolbox | Ground | 1085 | 188 | | 0 | | | X | X | |
| 34 | Toolbox | Ground | 142 | 39 | | | | | X | X | |
| 37 | Toolbox | Ground | 438 | 53 | | | | X | | X | |
| 38 | Toolbox | Ground | 168 | 25 | | | | | X | X | |
| 39 | Toolbox | Ground | 61 | 16 | | | | | X | X | |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 41 | Toolbox | Ground | 209 | 47 | | | | X | X | | |
| 42 | Toolbox | Ground | 315 | 40 | | | | X | X | | |
| 43 | Toolbox | Ground | 57 | 28 | | | | X | | X | |
| 45 | Toolbox | Ground | 412 | 52 | | | | X | X | | |
| 46 | Toolbox | Ground | 378 | 78 | | | | X | X | | |
| 47 | Toolbox | Ground | 56 | 14 | | | | X | | X | |
| 49 | Toolbox | Ground | 158 | 20 | | 8 | 1 | X | | X | |
| 50 | Toolbox | Ground | 46 | 23 | | | | X | X | | |
| 51 | Toolbox | Ground | 33 | 17 | | | | X | | X | |
| 52 | Toolbox | Ground | 250 | 63 | | 7 | | X | X | | |
| 53 | Toolbox | Ground | 44 | 5 | | | | X | | X | |
| 54 | Toolbox | Ground | 140 | 71 | | 6 | | X | X | | |
| 55 | Toolbox | Ground | 21 | 11 | | | | X | | X | |
| 56 | Toolbox | Ground | 9 | 5 | | | | X | | X | |
| 57 | Toolbox | Ground | 67 | 31 | | | | X | X | | |
| 58 | Toolbox | Ground | 415 | 104 | | | | X | X | | |
| 59 | Toolbox | Ground | 76 | 38 | | | | X | | X | |
| 60 | Toolbox | Ground | 28 | 14 | | | | X | X | | |
| 61 | Toolbox | Ground | 118 | 59 | | | | X | X | | |
| 62 | Toolbox | Ground | 218 | 62 | | | | X | X | | |
| 63 | Toolbox | Ground | 120 | 60 | | | | X | X | | |
| 64 | Toolbox | Ground | 113 | 28 | | | | X | | X | |
| 65 | Toolbox | Ground | 41 | 21 | | | | X | X | | |
| 66 | Toolbox | Ground | 7 | 1 | | | | X | X | | |
| 67 | Toolbox | Ground | 19 | 9 | | | | X | X | | |
| 68 | Toolbox | Ground | 166 | 29 | | | | X | X | | |
| 69 | Toolbox | Ground | 274 | 69 | | 7 | | X | | X | |
| 70 | Toolbox | Ground | 132 | 25 | | | | X | X | | |
| 72 | Toolbox | Ground | 23 | 6 | | | | X | | X | |
| 73 | Toolbox | Ground | 33 | 17 | | | | X | X | | |
| 74 | Toolbox | Ground | 15 | 8 | | | | X | X | | |
| 75 | Toolbox | Ground | 128 | 32 | | | | X | | X | |
| 76 | Toolbox | Ground | 135 | 71 | | | | X | X | | |
| 77 | Toolbox | Ground | 36 | 9 | | 3 | | X | | X | |
| 78 | Toolbox | Ground | 56 | 32 | | | | X | X | | |
| 79 | Toolbox | Ground | 11 | 5 | | | | X | X | | |

Alternative H - (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 80 | Toolbox | Ground | 43 | 11 | | | | | X | | X |
| 81 | Toolbox | Ground | 4 | 2 | | | | X | | X | |
| 82 | Toolbox | Ground | 13 | 7 | | | | | X | X | |
| 83 | Toolbox | Ground | 186 | 47 | | | | | X | | X |
| 84 | Toolbox | Ground | 58 | 30 | | | 0 | | X | | X |
| 85 | Toolbox | Ground | 77 | 39 | | | | | X | | X |
| 86 | Toolbox | Ground | 19 | 9 | | | | X | | X | |
| 87 | Toolbox | Ground | 67 | 34 | | | | X | | X | |
| 88 | Toolbox | Ground | 15 | 8 | | 1 | | X | | X | |
| 89 | Toolbox | Ground | 468 | 72 | | 1 | | | X | | X |
| 90 | Toolbox | Ground | 743 | 126 | | 12 | | | X | | X |
| 91 | Toolbox | Ground | 49 | 13 | | | | | X | | X |
| 92 | Toolbox | Ground | 20 | 5 | | | | | X | | X |
| 93 | Toolbox | Ground | 249 | 108 | | | | | X | | X |
| 94 | Toolbox | Ground | 90 | 12 | | | | | X | X | |
| 96 | Toolbox | Ground | 100 | 12 | | | | | X | X | |
| 97 | Toolbox | Ground | 149 | 75 | | | | | X | X | |
| 98 | Toolbox | Ground | 32 | 16 | | | | X | | X | |
| 99 | Toolbox | Ground | 49 | 25 | | | | X | | X | |
| 100 | Toolbox | Ground | 33 | 17 | | | | X | | X | |
| 101 | Toolbox | Ground | 7 | 2 | | | | X | | | X |
| 102 | Toolbox | Ground | 607 | 107 | | | | X | | X | |
| 103 | Toolbox | Ground | 544 | 71 | | | | | X | | X |
| 104 | Toolbox | Ground | 463 | 58 | | | | | X | | X |
| 106 | Toolbox | Ground | 377 | 47 | | | | | X | | X |
| 107 | Toolbox | Ground | 15 | 2 | | | | | X | | X |
| 108 | Toolbox | Ground | 15 | 8 | | | | X | | X | |
| 109 | Toolbox | Ground | 514 | 73 | | | | | X | | X |
| 111 | Toolbox | Ground | 329 | 64 | | | | | X | X | |
| 113 | Toolbox | Ground | 40 | 16 | | | | X | | X | |
| 114 | Toolbox | Ground | 59 | 29 | | | | | X | X | |
| 115 | Toolbox | Ground | 215 | 40 | | | | | X | X | |
| 116 | Toolbox | Ground | 84 | 37 | | | | | X | X | |
| 117 | Toolbox | Ground | 218 | 26 | | | | | X | X | |
| 118 | Toolbox | Ground | 400 | 53 | | | | | X | | X |
| 119 | Toolbox | Ground | 14 | 7 | | | | | X | X | |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 120 | Toolbox | Ground | 223 | 40 | | | | X | | X | |
| 121 | Toolbox | Ground | 14 | 7 | | | | X | X | | |
| 122 | Toolbox | Ground | 6 | 3 | | | | X | X | | |
| 123 | Toolbox | Ground | 147 | 20 | | 5 | | X | | X | |
| 124 | Toolbox | Ground | 77 | 25 | | 0 | | X | X | | |
| 125 | Toolbox | Ground | 68 | 10 | | | | X | | X | |
| 126 | Toolbox | Ground | 287 | 54 | | 0 | | X | | X | |
| 127 | Toolbox | Ground | 338 | 42 | | | X | | X | | |
| 128 | Toolbox | Ground | 118 | 54 | | | X | | X | | |
| 129 | Toolbox | Ground | 17 | 9 | | | | X | X | | |
| 130 | Toolbox | Ground | 298 | 82 | | | X | | X | | |
| 131 | Toolbox | Ground | 2064 | 338 | | | 1 | X | X | | |
| 132 | Toolbox | Ground | 46 | 23 | | | | X | X | | |
| 133 | Toolbox | Ground | 22 | 9 | | | | X | X | | |
| 134 | Toolbox | Ground | 1092 | 124 | | | | X | X | | |
| 135 | Toolbox | Ground | 51 | 21 | | | | X | X | | |
| 136 | Toolbox | Ground | 82 | 30 | | | | X | | X | |
| 137 | Toolbox | Ground | 115 | 32 | | | | X | X | | |
| 138 | Toolbox | Ground | 1012 | 197 | | | | X | X | | |
| 139 | Toolbox | Ground | 78 | 19 | | | | X | X | | |
| 140 | Toolbox | Ground | 52 | 26 | | | X | | X | | |
| 141 | Toolbox | Ground | 195 | 27 | | | X | | X | | |
| 142 | Toolbox | Ground | 465 | 63 | | | | X | X | | |
| 143 | Toolbox | Ground | 42 | 21 | | | | X | | X | |
| 144 | Toolbox | Ground | 286 | 62 | | | | X | | X | |
| 145 | Toolbox | Ground | 313 | 148 | | | | X | | X | |
| 146 | Toolbox | Ground | 18 | 4 | | | | X | | X | |
| 147 | Toolbox | Ground | 110 | 25 | | | X | | X | | |
| 148 | Toolbox | Ground | 119 | 15 | | | X | | X | | |
| 149 | Toolbox | Ground | 1054 | 137 | | | X | | X | | |
| 150 | Toolbox | Ground | 83 | 38 | | | X | | X | | |
| 151 | Toolbox | Ground | 951 | 112 | | | | X | X | | |
| 152 | Toolbox | Ground | 88 | 25 | | | | X | X | | |
| 153 | Toolbox | Ground | 101 | 13 | | | X | | X | | |
| 154 | Toolbox | Ground | 247 | 31 | | | X | | X | | |
| 155 | Toolbox | Ground | 40 | 9 | | | X | | X | | |
| 156 | Toolbox | Ground | 377 | 44 | | | | X | X | | |
| 157 | Toolbox | Ground | 212 | 27 | | | X | | X | | |
| 158 | Toolbox | Ground | 100 | 13 | | | X | | X | | |
| 159 | Toolbox | Ground | 92 | 46 | | | X | | X | | |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|---|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | ≥ 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 160 | Toolbox | Ground | 63 | 31 | | | | X | | X | |
| 161 | Toolbox | Ground | 324 | 82 | | | | | X | X | |
| 162 | Toolbox | Ground | 116 | 35 | | | | X | | X | |
| 163 | Toolbox | Ground | 118 | 29 | | | | X | | X | |
| 164 | Toolbox | Ground | 111 | 15 | | | | | X | X | |
| 165 | Toolbox | Ground | 47 | 10 | | | | X | | X | |
| 166 | Toolbox | Ground | 228 | 85 | | | | X | | X | |
| 167 | Toolbox | Ground | 82 | 18 | | | | X | | X | |
| 168 | Toolbox | Ground | 164 | 38 | | | | X | | X | |
| 169 | Toolbox | Ground | 710 | 117 | | | | | X | X | |
| 170 | Toolbox | Ground | 43 | 21 | | | | X | | X | |
| 171 | Toolbox | Ground | 433 | 48 | | | | X | | X | |
| 172 | Toolbox | Ground | 58 | 29 | | | | X | | X | |
| 173 | Toolbox | Ground | 120 | 30 | | | | X | | X | |
| 174 | Toolbox | Ground | 311 | 35 | | | | X | | X | |
| 175 | Toolbox | Ground | 100 | 12 | | | | X | | X | |
| 176 | Toolbox | Ground | 95 | 48 | | | | | X | X | |
| 178 | Silver | Ground | 12 | 3 | | | | X | | | X |
| 179 | Silver | Ground | 50 | 12 | 4 | 9 | | X | | X | |
| 180 | Silver | Ground | 8 | 3 | | | | X | | X | |
| 181 | Silver | Ground | 56 | 28 | | | | X | | X | |
| 182 | Silver | Ground | 307 | 151 | | 20 | | X | | X | |
| 183 | Silver | Ground | 56 | 26 | | | | X | | | X |
| 184 | Silver | Ground | 91 | 42 | | | | | X | | X |
| 185 | Silver | Ground | 111 | 37 | | | | X | | X | |
| 186 | Silver | Ground | 160 | 46 | | | | X | | X | |
| 187 | Silver | Ground | 119 | 29 | | | | | X | | X |
| 188 | Silver | Ground | 13 | 7 | | | | | X | | X |
| 189 | Silver | Ground | 40 | 10 | | | | | X | | X |
| 190 | Silver | Ground | 297 | 64 | | | | | X | | X |
| 191 | Silver | Ground | 112 | 28 | | 3 | | | X | X | |
| 192 | Silver | Ground | 36 | 18 | | | | | X | X | |
| 193 | Silver | Ground | 224 | 37 | | 3 | | X | | X | |
| 194 | Silver | Ground | 8 | 4 | | | | | X | X | |
| 195 | Silver | Ground | 75 | 39 | | | | X | | X | |
| 196 | Silver | Ground | 61 | 30 | | | | X | | X | |
| 197 | Silver | Ground | 56 | 14 | | | | | X | X | |
| 198 | Silver | Ground | 234 | 53 | | | | | X | X | |
| 199 | Silver | Ground | 115 | 30 | | | | | X | | X |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 200 | Silver | Ground | 228 | 43 | | | | X | X | | |
| 201 | Silver | Ground | 22 | 3 | | | | X | X | | |
| 202 | Silver | Ground | 37 | 13 | | | X | | X | | |
| 203 | Silver | Ground | 72 | 9 | | | | X | | X | |
| 204 | Silver | Ground | 80 | 40 | | | X | | X | | |
| 205 | Silver | Ground | 16 | 8 | | | X | | X | | |
| 206 | Silver | Ground | 27 | 4 | | | | X | X | | |
| 207 | Silver | Ground | 22 | 8 | | | X | | X | | |
| 208 | Silver | Ground | 39 | 11 | | | | X | X | | |
| 209 | Silver | Ground | 223 | 108 | | | X | | X | | |
| 210 | Silver | Ground | 107 | 28 | | | X | | X | | |
| 211 | Silver | Ground | 17 | 8 | | | X | | X | | |
| 212 | Silver | Ground | 10 | 5 | | | X | | X | | |
| 213 | Silver | Ground | 76 | 21 | | | X | | X | | |
| 214 | Silver | Ground | 200 | 34 | | | | X | | X | |
| 215 | Silver | Ground | 105 | 15 | | | X | | | X | |
| 216 | Silver | Ground | 328 | 51 | | | | X | | X | |
| 217 | Silver | Ground | 413 | 70 | 1 | 7 | | X | | X | |
| 218 | Silver | Ground | 48 | 9 | | | | X | X | | |
| 219 | Silver | Ground | 25 | 3 | | | X | | | X | |
| 220 | Silver | Ground | 88 | 42 | 3 | | | X | X | | |
| 221 | Silver | Ground | 328 | 45 | | | | X | X | | |
| 222 | Silver | Ground | 116 | 49 | | | | X | X | | |
| 223 | Silver | Ground | 53 | 27 | | | | X | X | | |
| 224 | Silver | Ground | 172 | 26 | | | | X | X | | |
| 225 | Silver | Ground | 412 | 84 | | 29 | | X | | X | |
| 226 | Silver | Ground | 164 | 38 | | | | X | X | | |
| 227 | Silver | Ground | 59 | 32 | | 3 | | X | X | | |
| 228 | Silver | Ground | 25 | 6 | | | | X | | X | |
| 229 | Silver | Ground | 45 | 22 | | | | X | | X | |
| 230 | Silver | Ground | 252 | 63 | | 6 | | X | X | | |
| 231 | Silver | Ground | 43 | 12 | | | | X | | X | |
| 232 | Silver | Ground | 10 | 1 | | | | X | X | | |
| 233 | Silver | Ground | 204 | 89 | | | | X | X | | |
| 234 | Silver | Ground | 322 | 40 | | | | X | | X | |
| 235 | Silver | Ground | 686 | 119 | | | | X | | X | |
| 236 | Silver | Ground | 129 | 15 | 5 | 5 | | X | | X | |
| 237 | Silver | Ground | 51 | 6 | | | | X | | X | |
| 238 | Silver | Ground | 92 | 16 | | | | X | | X | |
| 239 | Silver | Ground | 1006 | 145 | | | | X | | X | |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|--------|--------------------------------|-------------------|---|-------|----------------------|----|----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 240 | Silver | Ground | 968 | 126 | | | | | X | | X |
| 241 | Silver | Ground | 1002 | 206 | | | | X | | X | |
| 244 | Silver | Ground | 406 | 54 | | | | X | | X | |
| 245 | Silver | Ground | 994 | 136 | 3 | | | | X | X | |
| 246 | Silver | Ground | 23 | 6 | | | | | X | X | |
| 247 | Silver | Ground | 11 | 6 | | | | X | | X | |
| 248 | Silver | Ground | 5 | 1 | | | | | X | X | |
| 249 | Silver | Ground | 44 | 6 | | | | | X | | X |
| 253 | Silver | Ground | 29 | 14 | | | | | X | | X |
| 254 | Silver | Ground | 28 | 14 | | | | | X | | X |
| 255 | Silver | Ground | 293 | 62 | | | | | X | | X |
| 256 | Silver | Ground | 391 | 85 | | | | | X | | X |
| 257 | Silver | Ground | 545 | 80 | | | | | X | X | |
| 258 | Silver | Ground | 754 | 138 | | | | | X | X | |
| 259 | Silver | Ground | 23 | 6 | | | | X | | X | |
| 260 | Silver | Ground | 19 | 10 | | | | | X | X | |
| 261 | Silver | Ground | 553 | 130 | 1 | | | | X | X | |
| 262 | Silver | Ground | 50 | 13 | | | | X | | X | |
| 263 | Silver | Ground | 195 | 76 | | | | | X | X | |
| 264 | Silver | Ground | 143 | 27 | | | | | X | | X |
| 265 | Silver | Ground | 77 | 35 | | | | | X | X | |
| 266 | Silver | Ground | 162 | 23 | | | | | X | | X |
| 267 | Silver | Ground | 4 | 2 | | | | X | | X | |
| 268 | Silver | Ground | 94 | 43 | | | | X | | X | |
| 269 | Silver | Ground | 190 | 23 | | | | | X | | X |
| 270 | Silver | Ground | 140 | 68 | | | | | X | | X |
| 271 | Silver | Ground | 524 | 110 | | | | | X | X | |
| 272 | Silver | Ground | 7 | 4 | | | | X | | X | |
| 273 | Silver | Ground | 1216 | 223 | | | 4 | | X | X | |
| 274 | Silver | Ground | 296 | 65 | | | 2 | | X | | X |
| 275 | Silver | Ground | 163 | 26 | | | 2 | | X | X | |
| 276 | Silver | Ground | 37 | 10 | | | | | X | | X |
| 277 | Silver | Ground | 1166 | 185 | | | | | X | | X |
| 278 | Silver | Ground | 1036 | 236 | | | 0 | | X | | X |
| 279 | Silver | Ground | 17 | 4 | | | | | X | | X |

Alternative H (continued)

| Unit # | Fire (Silver or Toolbox) | Logging System | Volume mbf (thousand board feet) | Acres | Acres within RHCA | | | Activity Fuels Treatment | | Dominant Level of Conifer Mortality (determines within- unit snag retention strategy) | |
|---|--------------------------------|-------------------|---|-------|----------------------|------|-----|--|--|---|-------|
| | | | | | C1 | C3 | C4 | <20 tpa (therefore WTY or YTA only) | >= 20 tpa (therefore 'additional' fuels treatment) | <50% | > 50% |
| | | | | | | | | | | | |
| 280 | Silver | Ground | 437 | 74 | | | | X | | | X |
| 281 | Silver | Ground | 322 | 41 | | | | | X | X | |
| 282 | Silver | Ground | 224 | 54 | | | | | X | X | |
| 283 | Silver | Ground | 23 | 11 | | | | X | | X | |
| 284 | Silver | Ground | 41 | 11 | | | | X | | X | |
| 285 | Silver | Ground | 1957 | 307 | | | | | X | X | |
| 286 | Silver | Ground | 69 | 35 | | | | | X | X | |
| 287 | Silver | Ground | 1059 | 146 | | | | | X | | X |
| 288 | Silver | Ground | 761 | 171 | | | | X | | X | |
| 289 | Silver | Ground | 918 | 121 | | | | | X | | X |
| 290 | Silver | Ground | 353 | 45 | | | | | X | | X |
| 291 | Silver | Ground | 143 | 19 | | | 1 | | X | | X |
| 293 | Silver | Ground | 37 | 5 | | | | | X | | X |
| 295 | Silver | Ground | 167 | 83 | | | | X | | X | |
| 296 | Silver | Ground | 654 | 119 | | 10 | | X | | | X |
| 297 | Silver | Ground | 47 | 22 | | | | X | | X | |
| 298 | Silver | Ground | 413 | 86 | | | | | X | | X |
| 299 | Silver | Ground | 64 | 20 | | | | X | | X | |
| 300 | Silver | Ground | 312 | 39 | | | | | X | | X |
| 301 | Silver | Ground | 472 | 61 | | 4 | | | X | | X |
| 302 | Silver | Ground | 42 | 16 | | 2 | | | X | X | |
| 303 | Silver | Ground | 783 | 169 | | 5 | | | X | X | |
| 305 | Silver | Ground | 27 | 7 | | | | | X | | X |
| 306 | Silver | Ground | 128 | 61 | | | | | X | | X |
| 307 | Silver | Ground | 185 | 25 | | | | X | | X | |
| 308 | Silver | Ground | 75 | 19 | | | | | X | | X |
| 309 | Silver | Ground | 323 | 88 | | 4 | | X | | X | |
| 310 | Silver | Ground | 95 | 31 | | 3 | | | X | | X |
| 311 | Silver | Ground | 557 | 63 | | | | | X | | X |
| 312 | Silver | Ground | 72 | 9 | | | | | X | | X |
| Alt. H Grand Total | | | 63838 | 13033 | *15 | *186 | *15 | | | | |
| * Note: all RHCA within Road hazard units | | | | | | | | | | | |